Scout Report sent out	
Noted in the NID File	
Location map pinned .	
Approval or Disapproval Letter	ď
Date Completed, f. & A. or 12- operations suspended	13-57
Pin changed on location map /	
Affidavit and Record of A & P	
Water Shut-Off Test	
Gas-Oil Ratio Test	
Well Log Filed	
MLE NOTATIONS	OHUM, OS 10 GO
Entered in NID File 1	Checked by Chief
Entored On S. R. Sheet	Copy NID to Field Office
Location Map Pinned	Approval Letter
Card Indexed	Disapproval Letter
IW R for State or Fee Land	
COMPLETION DATA:	
Date Well Completed 12-13-58	Location Inspected
OW TA	Bond released State of Fee Land
GW OS PA	State of Fee Land
LOGS	FILED
Driller's Log. 12-16-58	
Electric Logs (No.)	GR GR-N Micro

Sonic..

Others.

Top

amm

(SUBMIT IN TRIPLICATE)

Indian Agency NAYR JO

UNITED STATES Contract No. 14-20-603-4037

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee	 	
Lanca No		

36581 ICES AND REF	ORTS O	N WELLS	
SUBSEQUEN	T REPORT OF WAT T REPORT OF SHO T REPORT OF ALT T REPORT OF RED T REPORT OF ABA TARY WELL HISTO	ER SHUT-OFF OTING OR ACIDIZING ERING CASING RILLING OR REPAIR NDONMENT	
_	•		
South 24-East	gr.m		sec. 19
in Juan	(Meridia	Utah	·
	f.	(State of Territory)	
sands: show sizes, weights, and l	engths of proposed	casings; indicate mudd	ing jobs, cement-
BIZE CARI	ng	CASING PRO	ogram (add
(1500') 24.0# (5500') 14.0#	New	Set at 1500' 5500'	Gemen 1000 500
oleo annewal in weiting he sha (eological Survey l	efore operations may b	e commenced.
INY			
	Water 6	PEKAR COMPAI	ev e
	SUBSEQUEN SUBSEQ	SUBSEQUENT REPORT OF WAT SUBSEQUENT REPORT OF SHO SUBSEQUENT REPORT OF ALTI SUBSEQUENT REPORT OF ALTI SUBSEQUENT REPORT OF ABA SUPPLEMENTARY WELL HISTO Y CHECK MARK NATURE OF REPORT, NOTICE, OR OTH FORE NORTH, Texas (Meridia (County or Subdivision) DOVE Sea level is 1589 ft. DETAILS OF WORK (Sands; show sizes, weights, and lengths of proposed points, and all other important proposed work) SIZE CASING (1500) 24.04 New (1500) 14.04 New (Size approval in writing by the Geological Survey believe appro	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING SUBSEQUENT REPORT OF ALTERING CASING SUBSEQUENT REPORT OF REPRILLING OR REPAIR SUBSEQUENT REPORT OF REPRILLING OR REPAIR SUPPLEMENTARY WELL HISTORY Y CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) FORT NORTH, TEXAS, NOVEMBER Y CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) FORT NORTH, TEXAS, NOVEMBER WP.) (Range) (Meridian) (County or Subdivision) (State or Territory) bove sea level is 4589 ft. DETAILS OF WORK (State or Territory) BIZE CASING (ASING PARTIES (1500) 24.04 New 1500 (5500) 14.04 New 5500 Size CASING (State or Territory) MARK STATE CASING (ASING PARTIES (ASING PART

U. S. GOVERNMENT PRINTING OFFICE 16-8437b-8

Phillips - Agtex Lse.

Navajo Triba! Lands Navajo Tribal Lands Lessee Unknown Phillips - Aztex Lse. "B" Sec. 10 Sec. 11 Navajo Tribe "W" The Texas Co. Lse. 240 Ac. Sec. 14 Sec. 15 Navajo Tribal Lands Navajo Tribal Lands Superior Lse.

> This is to certify that the courses, distances and objects reflected on the plat to which this certificate is affixed were observed and compiled under my supervision and, according to my best knowledge and belief, are true and correct.

SAN JUAN COUNTY,

Scale 1" = 1000'

Registered Professional Engr. - State of Texas

November 13, 1958

The Texas Company P. O. Box 1720 Fort Worth 1, Texas

Attention: J. J. Velten, Division Civil Engineer

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo Tribe W - 2, which is to be located 1980 feet from the south line and 550 feet from the east line of Section 10, Township 41 South, Range 24 East, SLBM, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT SECRETARY


CBF: co

cc: Phil McGrath
USGS, Farmington,
New Mexico

Budget Bureau No. 42-R355.4. Approval expires 12-31-60.

U. S. LAND OFFICE Navajo SERIAL NUMBER 14-20-603-4037

LEASE OR PERMIT TO PROSPECT



Form 9-330

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

LOG OF OIL OR GAS WELL

		CORRECTLY				_		
-	•					sBox .817,	_	•
Lessor	or Tract -	Navajo	Tribe		Field U	ndesignated	State 4	tah
						SIM Cot		
Locatio	n 1980-	$\operatorname{ft.}\left\{ egin{smallmatrix} \operatorname{N.} \\ \operatorname{S} \end{array} ight\} \operatorname{of}$	Line aı	nd 550 ft.	₩. of E	Line of - Secti	on 10	Elevation -45
Th	ie informa	tion given h	erewith is	a complerailable rec	te and correc	t record of the w	rell and all w	ork done there
Date	Dec	ember 16	. 1958	<u>.</u>		Title	Dist	Sup!t.
Th	ie summai	y on this pa	ge is for t	he conditio	on of the well	at above date		•
Comme	enced drill	ing Nov	ember-	16 , 19	- 58 . Finish	ed drilling	December	, 195
			OI	L OR GA	S SANDS O	R ZONES		
DT 4	*			•	Denote gas by G	e.		
						from	* * * * * * * * * * * * * * * * * * * *	
•	* *		to		No. 5,	from	to	
No. 3,	from	1	to		No. 6,	from	to	
				MPORTA	NT WATER	SANDS	4.03.4	1
No. 1,	from	None	to		No.:3,	from	to	
No. 2,	from		to		No. 4,	from	to	
				CAS	ING RECOR	RD		
Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated From-	ro— Purpose
-2 \(\int \)	hΩ	Ωn	(3m2 m	00	11	*****		
5/8	24		Smls.	1507	- None Releas			Tarinos est, on propias respiras
1/2	10 TA		SML	9500	vil labet denke. Takon	House		าก ไม่ พบบ อย่องกับ co ไม่เป็น พบบ ไม่เป็น
./2	15.5	8R	Smls	110	Baker			
		-					- 1 %- 1 1 1	Salarosis Rajingan engan Lati
			MUDE	DING ANI	CEMENTI	NG RECORD		
Size	Where se	t Numi	er sacks of ce	ment	Method used	Mud gravity	Amou	nt of mud used
2/8	100		25	O V.	1111burto			
5/8	1517		130		illiburto			
1/2	- 5620			f reg i	iall1burt			
			gallon	PLUGS	AND ADAP	TERS		
Heavin	g plug—N	Interial	-None		'		Depth set	

5/0	10		250 1300	Hallibur Hallibur	han			
1/2	562	0 200	sacks of r	ez Hellibu	rton			
			gallons L					
	_ 1			UGS AND AD			_	
	i		None	!				
Adapter	rs—Mat	erial	None	Size	5 4			
	·		S	HOOTING RE	CORD			
Size	\$	hell used	Explosive used	Quantity	Date	Depth shot	Dept	th cleaned out
None			:					
				1				
.	. 1	1.4	:	TOOLS USI		1.6		
			n — O					
Cable to	ools were	e used from .	None	feet to	feet, a	and from	fee	et to
	1		:	DATES		ě		
	7		, 19	Put	to produ	cingT	ested De	c. 13"
Th	e produ	ction for the	e first 24 hours	was 1320 ba	arrels of	fluid of whi	ch 97 %	was oil; 🚤
			d% sedime		(Bravity, °Bé	^{6.} 40.8	
If a	gas well	, cu. ft. per	24 hours	Gallo	ns gasoli	ne per 1,00	0 cu. ft. of g	gas
	i		sq. in.					- (m) (m)
	F	, r		EMPLOYE	ES			
			ъ.					
			, Dri	ller		A64		,
		n Smith	, De			о. н.	Davenno	rt '
		n Smith Mitchum	, Dri	ller		о. н.	Davenpo	rt ,
o	1enn	Mitchum	, Dri	ller ORMATION R				rt ,
o	1enn		, Dri	ller ORMATION R			Davenpo MATION	rt ,
o	1enn	Mitchum To-	FO TOTAL	DRMATION R	ECORD			rt ,
FRO	lenn M-	Mitchum To-	, Dri	ORMATION R	ecord	FOR	MATION	
FRO	O O O1	101 973	, Dri	ORMATION R	ecord nd d Bed,	FOR		
FRO	0 01 73	Mitchum To-	, Dri	ORMATION RICELLA CONTROL CONTR	nd d Bed,	Sand &	MATION Anhydri	
FRO 19 13 15	0 01 73 73	101 973 1373 1517 3024	, Dri	ORMATION RICELLA CONTROL CONTR	nd d Bed, nd & S	Sand &	MATION Anhydri	
1 9 13 15 30	0 0 01 73 73 17 24	101 973 1373 1517 3024 3789	, Dri	ORMATION RICELLA CONTROL CONTR	nd d Bed, nd & Sale & Sale	Sand & hale Anhydri	MATION Anhydri	
1 9 13 15 30	0 0 01 73 73 17 24 89	101 973 1373 1517 3024 3789 3910	TOTAL 1 8 4 1 15 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ORMATION RICELLA CONTROL CONTR	nd d Bed, nd & Sale & sale & sale	Sand &	MATION Anhydri	
19 13 15 30 37 39	0 01 73 73 17 24 89 10	101 973 1373 1517 3024 3789	TOTAL 1 1 1 5 7 7 1 5 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0	ORMATION RICE PEET O1 Sa. 72 Rec 00 Sa. 44 Sh. 65 Sh. 21 Sh. 33 Sh. 47 Lii	nd d Bed, nd & Sale & Sale	Sand & hale Anhydrichale	MATION Anhydri	
FRO 19 13 15 30 37 39 44 54	0 01 73 73 17 24 89 10 43	101 973 1373 1517 3024 3789 3910 4443 5490 5577	TOTAL 1 8 4 1 15 7 10	ORMATION RICE ORMATI	nd d Bed, nd & Sale & Sale & Sale & Sale	Sand & hale Anhydrichale Anhydrichale	MATION Anhydri	
19 13 15 30 37 39	0 01 73 73 17 24 89 10 43	101 973 1373 1517 3024 3789 3910 4443 5490	TOTAL 1 8 4 1 15 7 10	ORMATION RICELLAND RESERVED RE	nd d Bed, nd & Sale & ale & ale & ale & ale	Sand & hale Anhydrichale Anhydrichale	MATION Anhydri	
19 13 15 30 37 39 44 55	0 01 73 73 17 24 89 10 43 90 77	101 973 1373 1517 3024 3789 3910 4443 5490 5577 5620	TOTAL 1 8 4 1 15 7 10 10 10 10 10 10 10 10 10 10 10 10 10	ORMATION RICE ORMATI	nd d Bed, nd & Sale & Sale & Sale & Sale	Sand & hale Anhydrichale Anhydrichale	MATION Anhydri	
19 13 15 30 37 39 44 55	0 01 73 73 17 24 89 10 43 90 77	101 973 1373 1517 3024 3789 3910 4443 5490 5577 5620	TOTAL 18 4 15 7 10	ORMATION RICE ORMATI	nd d Bed, nd & Sale & Sale & Sale & Sale	Sand & hale Anhydrichale Anhydrichale	MATION Anhydri	
19 13 15 30 37 39 44 55	0 01 73 73 17 24 89 10 43 90 77	101 973 1373 1517 3024 3789 3910 4443 5490 5577 5620	TOTAL 18 4 15 7 10	ORMATION RICE ORMATI	nd d Bed, nd & Sale & Sale & Sale & Sale	Sand & hale Anhydrichale Anhydrichale	MATION Anhydri	
19 13 15 30 37 39 44 55	0 01 73 73 17 24 89 10 43 90 77	101 973 1373 1517 3024 3789 3910 4443 5490 5577 5620	TOTAL 18 4 15 7 10	ORMATION RICE ORMATI	nd d Bed, nd & Sale & Sale & Sale & Sale	Sand & hale Anhydrichale Anhydrichale	MATION Anhydri	
19 13 15 30 37 39 44 55	0 01 73 73 17 24 89 10 43 90 77	101 973 1373 1517 3024 3789 3910 4443 5490 5577 5620	TOTAL 18 4 15 7 10	ORMATION RICE ORMATI	nd d Bed, nd & Sale & Sale & Sale & Sale	Sand & hale Anhydrichale Anhydrichale	MATION Anhydri	
19 13 15 30 37 39 44 55	0 01 73 73 17 24 89 10 43 90 77	101 973 1373 1517 3024 3789 3910 4443 5490 5577 5620	TOTAL 18 4 15 7 10	ORMATION RICE ORMATI	nd d Bed, nd & Sale & Sale & Sale & Sale	Sand & hale Anhydrichale Anhydrichale	MATION Anhydri	
19 13 15 30 37 39 44 55	0 01 73 73 17 24 89 10 43 90 77	101 973 1373 1517 3024 3789 3910 4443 5490 5577 5620	TOTAL 18 4 15 7 10	ORMATION RICE ORMATI	nd d Bed, nd & Sale & Ale & Ale & Sale & Sal	Sand & hale Anhydrichale hale hale	Anhydri Le	
19 13 15 30 37 39 44 55	0 01 73 73 17 24 89 10 43 90 77	101 973 1373 1517 3024 3789 3910 4443 5490 5577 5620	TOTAL 18 4 15 7 10	ORMATION RICE ORMATI	nd d Bed, nd & Sale & Ale & Ale & Sale & Sal	Sand & hale Anhydrichale Anhydrichale	Anhydri Le	
19 13 15 30 37 39 44 55	0 01 73 73 17 24 89 10 43 90 77	101 973 1373 1517 3024 3789 3910 4443 5490 5577 5620	TOTAL 18 4 15 7 10	ORMATION RICE ORMATI	nd d Bed, nd & Sale & Ale & Ale & Sale & Sal	Sand & hale Anhydrichale hale hale	Anhydri Le	
19 13 15 30 37 39 44 55	0 01 73 73 17 24 89 10 43 90 77	101 973 1373 1517 3024 3789 3910 4443 5490 5577 5620	TOTAL 18 4 15 7 10	ORMATION RICE ORMATI	nd d Bed, nd & Sale & Ale & Ale & Sale & Sal	Sand & hale Anhydrichale hale hale	Anhydri Le	

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

ITHRO BYKORU

্ৰুষ্টেৰ বাস্ত্ৰক নামুন্ত চলচ গ্ৰন্থৰ চালছৰ

After drilling to 5620' and cementing 5-1/2" casing, top of easient plus was found to be at 5554' (P.B.T.D.). Perforated 5-1/2" casing from 54194 to 54291y 5454' to 5474' and 5510' to 5523' with 4 jet shots per foot. Ran 2" tubing to 5410' with packer set at 5389' and acidized perforations in 3 stages with 6000 gallons regular 15% acid using 200 gallons of sol-After swabbing, well flowed 220 barrels of oil in 4 No House .

AME OF GAS SANGE ON ZOUNS

Conserved drilling a militarization for my 18, 40, 3 to 1904 of 10%. The community on this payous for the residence of new webles of one deter-

की रेकेम सुरक्षा के अने अने कार्य के अर्थ कर है। **दर्**का कार्य के उन्ने कार्य कर क

PROME LINES IN COLUMN TO THE PROPERTY.

FORMATION RECORD—Continued

FROM-	то	TOTAL FEET	FORMATION
			FORMATION TOPS
		:	Navajo 618'
			Kayenta 983' Wingate 1016'
	ļ		Chinle 1408'
	98 <u>2002</u> 0		Hoskinnini 2360' DeChelly 2539'
			Organ Rock 2539'
			Hermosa 4462'
44.5			
	· '.		Fermation tops as per EL.
			HOLE SIZE
		, . " 	
	* . •	100	0 to 120' - 17-1/4"
			1517' to 5620' - 7-7/8"
All me	esurements (rond Walestink	floor, 10' above ground.
2 <u> 2 L </u>			ON RECORD
	· 4	THE CONTRACT	, });iilei
		Thinks	
~			COAFES
	estrot per bor en u Com rechooses		
	r om garbox 54 _j aca Se macara awa ili a		Gallons gasoline per 1,600 cu. th. of gas
1	Comparant in		Gravity, 'Bé.
A Section 1	dien for the Sec.		hacres of fluid of which in 1975 was often in 97
		. '	দুনার broducing কেন্ড্রিল্ড প্রস্তুত্র মি
(side tools we	e Swafitem i iii.		teet to mile feet, and from in against feet to mile in feet
ſ	ore need them		feet, and from feet to feet to
			s used
	en en general de la companya de la Companya de la companya de la compa		
.e	mer weg two	o Salabete (1985)	TOP OF THE CONTRACT OF THE CON
au abria men mare sun dire	and the second second second second	en on the second	
Administra will a	der itai		Į.
i			Reference of the State see a comment of the
	, in the second		enter expressiva anticolor
	en e	g volume de la competition del	
		1	The effect of the second of th

CONFIDENTIAL

(SUBMIT IN TRIPLICATE)




Budget Bureau No. 42–R359.4. Approval expires 12–31–60.

Indian	Agency	Naya	Joot

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

Lease No.	L=20	-603	-403	7
Allottee				



NOTICE OF INTE	ENTION TO DRILL	CIIRCI	EQUENT REPORT OF WATER	SHUT-OFF	200
	ENTION TO CHANGE PLANS	i I	EQUENT REPORT OF SHOOT!		
OTICE OF INTE	ENTION TO TEST WATER SHUT-O	i	EQUENT REPORT OF ALTERIA		
OTICE OF INTE	ENTION TO REDRILL OR REPAIR	WELL SUBSI	EQUENT REPORT OF REDRIL	ING OR REPAIR	
OTICE OF INTE	ENTION TO SHOOT OR ACIDIZE	SUBSI	EQUENT REPORT OF ABANDO	NMENT	
OTICE OF INTE	ENTION TO PULL OR ALTER CAS	INGSUPPI	LEMENTARY WELL HISTORY		
OTICE OF INT	ENTION TO ABANDON WELL				
	(INDICATE ABOVE B	Y CHECK MARK NATURE OF	REPORT, NOTICE, OR OTHER	DATA)	
rajo Tr	ibe "W"		Decembe	r 16,	, 19 58
ll No.	2 is located 19	60 ft. from (a) li	ne and 550 ft. fr	om E line of se	10
		L-S 24-E		SLM	
. "-		rwp.) (Range)	(Meridian)		
esigna	ted	San Jua	<u> </u>	(State or Territory)	
•	Field)	(County or Subdivision	- ·	-	
e names of a	nd expected depths to objective	DETAILS OF		ngs: indicate muddings	iobs. ceme
te names of a	and expected depths to objective ing p			ngs; indicate mudding	; jobs, ceme
100	*	sands; show sizes, weights, points, and all other impor	and lengths of proposed casi tant proposed work)	ngs; indicate mudding	; jobs, ceme
4	and expected depths to objective ing p	sands; show sizes, weights, points, and all other impor	and lengths of proposed casi tant proposed work)	ings; indicate mudding	, jobs, ceme
8 bebbe	:30 P.M., Noves	sands; show sizes, weights, points, and all other importables 16, 1958	and lengths of proposed cast tant proposed work)		
8 bebbe	*	sands; show sizes, weights, points, and all other importables 16, 1958	and lengths of proposed cast tant proposed work)		
idded 8 lled 1 ling at	7-1/4" hole to 100° with 250	sands; show sizes, weights, points, and all other importable 16, 1958 120° and cem sacks of cem	and lengths of proposed casi tant proposed work) ented 88° of ent. Cement	13-3/8= 0.1 circulated	0.
idded 8 lled 1 ling at	7-1/4" hole to 100° with 250	sands; show sizes, weights, points, and all other importable 16, 1958 120° and cem sacks of cem	and lengths of proposed casi tant proposed work) ented 88° of ent. Cement	13-3/8= 0.1 circulated	0.
idded 8 lled 1 ling at lled 1 ling at	7-1/4" hole to 100° with 250 1" hole to 1517 1517° with 130	sands; show sizes, weights, points, and all other importance 16, 1958 120' and cem sacks of cem 7' and cement 00 sacks of c	and lengths of proposed casi tant proposed work) ented \$5' of ent. Cement ed 1507' of \$ ement. Cemen	13-3/8= 0.1 circulated -5/8= 0.D. t circulate	0. •
idded 8 lled 1 ling at lled 1 ling at	7-1/4" hole to 100° with 250	sands; show sizes, weights, points, and all other importance 16, 1958 120' and cem sacks of cem 7' and cement 00 sacks of c	and lengths of proposed casi tant proposed work) ented \$5' of ent. Cement ed 1507' of \$ ement. Cemen	13-3/8= 0.1 circulated -5/8= 0.D. t circulate	0. •
dded 8 lled 1 ing at lled 1 ing at	7-1/4" hole to 100° with 250 1" hole to 1517 1517° with 130	sands; show sizes, weights, points, and all other importance 16, 1958 120' and cem sacks of cem 7' and cement 00 sacks of c	and lengths of proposed casi tant proposed work) ented \$5' of ent. Cement ed 1507' of \$ ement. Cemen	13-3/8= 0.1 circulated -5/8= 0.D. t circulate	0. •
dded 8 lled 1 ing at lled 1 ing at	7-1/4" hole to 100° with 250 1" hole to 1517 1517° with 130	sands; show sizes, weights, points, and all other importance 16, 1958 120' and cem sacks of cem 7' and cement 00 sacks of c	and lengths of proposed casi tant proposed work) ented \$5' of ent. Cement ed 1507' of \$ ement. Cemen	13-3/8= 0.1 circulated -5/8= 0.D. t circulate	0. •
idded 8 lled 1 ling at lled 1 ling at	7-1/4" hole to 100° with 250 1" hole to 1517 1517° with 130	sands; show sizes, weights, points, and all other importance 16, 1958 120' and cem sacks of cem 7' and cement 00 sacks of c	and lengths of proposed casi tant proposed work) ented \$5' of ent. Cement ed 1507' of \$ ement. Cemen	13-3/8= 0.1 circulated -5/8= 0.D. t circulate	0. •
dded 8 lled 1 ing at lled 1 ing at	7-1/4" hole to 100° with 250 1" hole to 1517 1517° with 130	sands; show sizes, weights, points, and all other importable 16, 1958 120' and cemsacks of cemsacks of cemsacks of cemsacks of censacks of	and lengths of proposed casi tant proposed work) ented \$8' of ent. Cement ed 1507' of \$ ement. Cemen r 30 minutes.	13-3/8" 0.1 circulated. -5/8" 0.D. t circulate Tested O	0. •
illed 1 ling at ling at ling at ited ca	7-1/4" hole to 100° with 250 1" hole to 1517 1517' with 130 sing with 1000	sands; show sizes, weights, points, and all other importable 16, 1958 120' and cemsacks of cemsacks of cemsacks of cemsacks of censacks of	and lengths of proposed casi tant proposed work) ented \$8' of ent. Cement ed 1507' of \$ ement. Cemen r 30 minutes.	13-3/8" 0.1 circulated. -5/8" 0.D. t circulate Tested O	0. •
lled 1 ing at ling at the ca	7-1/4" hole to 100° with 250 1" hole to 1517 1517' with 130 sing with 1000	paands; show sizes, weights, points, and all other importances. 120' and cemsacks of cems	and lengths of proposed casi tant proposed work) ented \$8' of ent. Cement ed 1507' of \$ ement. Cemen r 30 minutes.	13-3/8" 0.1 circulated. -5/8" 0.D. t circulate Tested O	0. •
lled 1 ling at llied 1 ling at ling at understand	7-1/4" hole to 100° with 250 1" hole to 1517 1517° with 130 sing with 1000 that this plan of work must rece	sands; show sizes, weights, points, and all other importances and cemerates are so cemerates and cemerates are so cemerates and cemerates are so cemerates and cemerates and cemerates are so cemerates and cemerates and cemerates are so cemerates are so cemerates and cemerates are so cemerates are so cemerates and cemerates are so cemerates are so cemerates and cemerates are so cemerates are so cemerates are so cemerates and cemerates are so cemerates are so cemerates are so cemerates and cemerates are so ceme	and lengths of proposed casi tant proposed work) ented \$8' of ent. Cement ed 1507' of \$ ement. Cemen r 30 minutes.	13-3/8" 0.1 circulated. -5/8" 0.D. t circulate Tested O	0. •
udded 8 illed 1 sing at illed 1 sing at sted ca	7-1/4" hole to 100° with 250 1" hole to 1517 1517° with 130 sing with 1000 that this plan of work must rece The Texas Cos Box \$17	sands; show sizes, weights, points, and all other importances and cemerates are so cemerates and cemerates are so cemerates and cemerates are so cemerates and cemerates and cemerates are so cemerates and cemerates and cemerates are so cemerates are so cemerates and cemerates are so cemerates are so cemerates and cemerates are so cemerates are so cemerates and cemerates are so cemerates are so cemerates are so cemerates and cemerates are so cemerates are so cemerates are so cemerates and cemerates are so ceme	and lengths of proposed casi tant proposed work) ented \$8' of ent. Cement ed 1507' of \$ ement. Cemen r 30 minutes.	13-3/8" 0.1 circulated. -5/8" 0.D. t circulate Tested O	0. •

Form 9-331 b (April 1952)

CONFIDENTIAL


Budget Bureau No. 42-R359.4. Approval expires 12-31-60.

Indian Agency

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

(SUBMIT IN TRIPLICATE)



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUPPLEMENTARY WELL HISTORY
---	----------------------------

Maya jo Tribe www		December 16,	, 1958
Well No is locat SEt of Section 10	ed 1980 ft. from $\begin{bmatrix} X \\ S \end{bmatrix}$ line a	and 550 ft. from $\begin{bmatrix} E \\ AB \end{bmatrix}$ line of s	ec. 10
(14 Sec. and Sec. No.) Undesignated	(Twp.) (Range) San Juan	(Meridian) Utah	
(Field)	(County or Subdivision)	(State or Territory)	

The elevation of the derrick floor above sea level is 4596 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled 7-7/8" hole to 5620' and cemented 5610' of 5-1/2" O.D. casing at 5670' with 200 sacks of regular cement and 400 gallons of Latex cement. Top of cement 4480'. Tested casing with 1000# pressure for 30 minutes. Tested OK.

Company	The Texas Company	
Address	Box 817	01/1/
	Farmington, N. M.	By Hagin
		Title Dist. Supt.

CONFIDENTIAL

(SUBMIT IN TRIPLICATE)



Budget Bureau No. 42-R359.4. Approval expires 12-31-60.

Indian Agency
Allottee

.....

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

NOTICE OF INTENTION TO DRILL		SUBSFORENT	REPORT OF WATER SHUT-OFF	XX
NOTICE OF INTENTION TO CHANGE PL			REPORT OF SHOOTING OR ACIDIZI	NG
NOTICE OF INTENTION TO TEST WATER	R SHUT-OFF		REPORT OF ALTERING CASING	1
NOTICE OF INTENTION TO REDRILL OF	R REPAIR WELL	SUBSEQUENT	REPORT OF REDRILLING OR REPA	IR
NOTICE OF INTENTION TO SHOOT OR	ACIDIZE	SUBSEQUENT	REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR AL	TER CASING	SUPPLEMENT	TARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON W	VELL.			
(INDICATE	ABOVE BY CHEC	K MARK NATURE OF REPOR	T, NOTICE, OR OTHER DATA)	
va jo Tribe www			December 16,	, 19 .5 8
11 NT 2 . 1	- 1040	c c XXX	1.660 (c. (E))	. 10
ell No is loca				e of sec 10.
t of Section 10 (14 Sec. and Sec. No.)	41-8 (Twp.)	24-E (Range)	SLA (Meridian)	
designa ted		San Juan	Utah	
(Field)	·	(County or Subdivision)	(State or Terr	ritory)
ite names of and expected depths to		DETAILS OF WOF		mudding jobs, ceme
ate names of and expected depths to	objective sands;		ngths of proposed casings; indicate 1	mudding jobs, ceme
ate names of and expected depths to	objective sands; ing points,	show sizes, weights, and le and all other important p	ngths of proposed casings; indicate r oposed work)	mudding jobs, ceme
tal depth 5620°.	objective sands; ing points,	show sizes, weights, and le and all other important pu back depth	ngths of proposed casings; indicate roposed work)	
tal depth 5620°.	objective sands; ing points,	show sizes, weights, and le and all other important pu back depth	ngths of proposed casings; indicate roposed work)	
tal depth 5620°.	objective sands; ing points,	show sizes, weights, and le and all other important pu back depth	ngths of proposed casings; indicate roposed work)	
tal depth 5620°. rforated 5-1/2° callo to 5523° with the packer set at	Plugged sing fr	show sizes, weights, and leand all other important put back depth on 5419° to shots per food acids and p	ngths of proposed casings; indicate roposed work) 5554. 5429., 5454. to : t. Ran 2. tubing	5474° and 5 to 5410°
tal depth 5620°. rforated 5-1/2° callo to 5523° with the packer set at	Plugged sing fr	show sizes, weights, and leand all other important put back depth on 5419° to shots per food acids and p	ngths of proposed casings; indicate roposed work) 5554. 5429., 5454. to : t. Ran 2. tubing	5474° and 5 to 5410°
tal depth 5620°. rforated 5-1/2° callo to 5523° with the packer set at	Plugged sing fr	show sizes, weights, and leand all other important put back depth on 5419° to shots per food acids and p	ngths of proposed casings; indicate roposed work) 5554. 5429., 5454. to : t. Ran 2. tubing	5474° and 5 to 5410°
	Plugged sing fr	show sizes, weights, and leand all other important put back depth on 5419° to shots per food acids and p	ngths of proposed casings; indicate roposed work) 5554. 5429., 5454. to : t. Ran 2. tubing	5474° and 5 to 5410°
tal depth 5620°. rforated 5-1/2° callo to 5523° with the packer set at	Plugged sing fr	show sizes, weights, and leand all other important put back depth on 5419° to shots per food acids and p	ngths of proposed casings; indicate roposed work) 5554. 5429., 5454. to : t. Ran 2. tubing	5474° and 5 to 5410°
tal depth 5620°. rforated 5-1/2° callo to 5523° with the packer set at	Plugged sing fr	show sizes, weights, and leand all other important put back depth on 5419° to shots per food acids and p	ngths of proposed casings; indicate roposed work) 5554. 5429., 5454. to : t. Ran 2. tubing	5474° and 5 to 5410°
tal depth 5620°. rforated 5-1/2° calor to 5523° with the packer set at 200 gallons regular	Plugged sing fr 4 jet s 5389 an	show sizes, weights, and leand all other important published back depth to thota per food a cidised pid using 200	ngths of proposed casings; indicate roposed work) 5554. 5429., 5454. to 5 t. Ran 2. tubing erforations in 3 gallons of sol-bl	5474° and to 5410° stages wi
tal depth 5620°. rforated 5-1/2° calls 10° to 5523° with th packer set at	Plugged sing fr jet 3389 an 15% aci	show sizes, weights, and leand all other important published back depth to thota per food a cidised pid using 200	ngths of proposed casings; indicate roposed work) 5554. 5429., 5454. to 5 t. Ran 2. tubing erforations in 3 gallons of sol-bl	5474° and to 5410° stages wi
rforated 5-1/2" or 10' to 5523' with th packer set at 00 gallons regular	Plugged sing fr jet 3389 an 15% aci	show sizes, weights, and leand all other important published back depth to thota per food a cidised pid using 200	ngths of proposed casings; indicate roposed work) 5554. 5429., 5454. to 5 t. Ran 2. tubing erforations in 3 gallons of sol-bl	5474° and to 5410° stages wi

THE TEXAS COMPANY

TEXACO PETROLEUM PRODUCTS



PRODUCING DEPARTMENT
WEST TEXAS DIVISION

P. O. Box 817
Farmington, New Mexico

June 3, 1959

Oil & Gas Conservation Commission 310 Newhouse Building 10 Exchange Place Salt Lake City 11, Utah

Attention: Mr. Cleon B. Feight

Gentlemen:

Reference is made to your letter, dated May 26, 1959, regarding the electric and radioactivity logs run on our Navajo Tribe "W" Wells #1 and #2.

As requested in your letter, please find enclosed confidential envelope containing copies of Induction-Electrical Logs, Gamma Ray-Neutron Logs and Micrologs for the above named wells. Since we consider this material confidential, it has been handled as per your previous instructions for handling confidential records.

If we can be of any further service in this matter, please advise.

Yours very truly,

TEXACO Inc.

H. F. Longren

District Superintendent

FEB-ERA

Encl.

June 5, 1959

Texaco, Incorporated P. O. Box 817 Farmington, New Mexico

Attention: H. F. Longren, District Superintendent

Gentlemen:

We are in receipt of your letter of June 3, 1959, together with the electric and radioactivity logs run on your Navajo Tribe "W" Wells No. 1 and No. 2.

Under the rules and regulations of this Commission, these logs were due at the same time as the driller's log. We are allowed to keep well information confidential only for a four-month period after the logs are received by this office. We cannot allow this period to be extended by the piece-meal filing of the logs. The files on these wells have been released as of April 17, 1959.

We will hold these logs confidential until June 12, after which they will be released for public information.

Yours very truly, OIL & CAS CONSERVATION COMMISSION

CLEON B. FRIGHT Executive Secretary

Forr (A)	n 9- 8 pril 19	331 b 52)	

Copy H. L. C. (SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

•		Form a	approved. t Bureau No. 42-R359.
,	••		Hawn to

Indian Agency Keva jo
Allottee Trabel
Lease No. 14-20-668-4037

SUBSEQUENT REPORT OF SHOOTHING OR ACIDIZING. SUBSEQUENT REPORT OF SHOOTHING OR ACIDIZING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ABANDONMENT. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERIOR CASING. SUBSEQUENT REPORT OF ALTERING CASING. SUBSEQUENT REPORT OF ALTERIOR CASING. SUBSEQUENT REPORT OF ALTERIOR. SUBSEQUENT REPORT OF ALTERIOR CASING. SUBSEQUENT REPORT OF ALTERIOR. SUBSEQUENT	OTICE OF INTENTION TO DRILL	subs	EQUENT REPORT OF WATER SH	IUT-OFF
SUBSEQUENT REPORT OF REDRILLING OR REPAIR WILL SUBSEQUENT REPORT OF REDRILLING OR REPAIR. SUBSEQUENT REPORT OF ABANDONMENT. SUPPLEMENTARY WELL HISTORY. SUPPL	TICE OF INTENTION TO CHANGE PL	ans subs	EQUENT REPORT OF SHOOTING	OR ACIDIZING
Subsequent Report of Abandonment. Supplementary Well History. Supplementary. Supplementary Well History. Supplementary. Supplem	TICE OF INTENTION TO TEST WATER			!
Supplementary well history. Supplementary. Supplementar	_	1 1		Ĭ
tions 5310-23 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAYA) Wort to water injection. Cortes, Colorade March 20 19 6/ therford Unit (Formerly Texas Co. Mays to Tribe "H" #2) I No. 10-43 is located 1990 ft. from S line and 550 ft. from William of sec. 10 E/A 300 10 (Mendiam) (Field) (County or Subdivision) (State or Territory) c elevation of the derrick floor above sea level is 4596 ft. DETAILS OF WORK a names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemer increases and all other important proposed work) 11. Pall tubing, run Hallburdon SVDC expecses packer on wark string of 2° at 54,92' (midpaint of 36' separating perforations at 54,54-74 and 5510-23), mudication. If O.K., mix 30 size, common common and squeezes Despire Creek performed the maximum helding pressure of 1500f, Circulate out, lay down work string with Baker Tenniam Packer at approximately 5370 to water injection. If communication exists, spet 5 sks common (40°) below with remaining 45 sks. common to maximum pressure of 1500f, mindown pressure with remaining doctres helding pressure, mash down to top of packer. Circles. Lay down work string. Reperforate Decert Creek some 5419-27. Run a site lined tubing with Baker Tenniam Packers of 2500f, mindown pressure of 1500f, mindown pr				
tiese of Intention to Squeece X Cortes, Colorede March 20 19 65 Cortes, Cortes March 20 19 65 Cortes March 20 19 65 Cortes, Cortes				1
there 3310-23 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Note to water injection. Cortes, Coloreds March 20 19 6 thereford Unit (Formerly Texas Co. Nava to Tribe "h" #2) I No. 10-43 is located 1992 ft. from S line and 550 ft. from W line of sec. 10 E/A 500. 10 (K 800. and 800. No.) (Twp.) (Range) (Meridian) (Field) (County or Subdivision) (State or Territory) c elevation of the derrick floor above sea level is 4596. ft. DETAILS OF WORK In names of and expected depths to objective sands; show sizes, weights, and lengths of proposed easings; indicate mudding jobs, cemer injunction of 36 separating perforations at 5454-74 and 5310-21), minimation. If O.K., mix 50 size, seamen commut and squares Desert Creek partial with maximum holding pressure of 15004. Circulate out, lay down wor Marker plastic lined tubing with Baker Tension Feeling at approximately 5370 to water injection. If communication exists, spot 5 size count (A0°) below that remaining 45 size, coment to maximum pressure of 15004, minimum pressure of 15004, minimu				
therford unit (Formerly Texas Co. May 10 Tribe "W" #2) No. 10-13 is located 1399 ft. from S line and 550 ft. from S line of sec. 10 (H Sec. and Sec. No.) (Twp.) (Range) (Meridian) (Field) (County or Subdivision) (State or Territory) c elevation of the derrick floor above sea level is 1596 ft. DETAILS OF WORK to names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemer ing points, and all other important proposed work) 11. Pall tubing, run Halliburgen SVDC equeese packers on work strying of 2" at 5492' (midpoint of 36' separating perforations at 545-74, and 5510-23), musication. If O.K., mix 50 also, cemen count and equeese Desert Creek performed to thing with Baker Tennion Packers at approximately \$370 to water injection. If communication exists, spet 5 sks cement (40') below with remaining 45 sks, cement to maximum pressure of 1500', minimum pressure of 1500', minimum pressure obtaining desired helding pressure, made does to top of packers. Circles and the stating with Baker Tennion Packers are prevainablely static lined tubing with Baker Tennion packers of 1500', minimum pressure obtaining desired helding pressure, made does to top of packers. Circles and Lay does work etging. Reperferate Desert Creek some 5417-29. In a 3 static lined tubing with Baker Tennion packers at approximately 5370' and convenient of the plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Impany PHILLIPS PSTROLEIN COMPANY			REPORT, NOTICE, OR OTHER D	ATA)
therford that (Formerly Texas Co. Maya to Tribe "W" \$2) If No. 10-41 is located 1949 ft. from S line and 550 ft. from Kill line of sec. 10 If A Sec. 10 (14 Sec. 10 (15 Se	wert to water inject		han Andamada I	Manah 80
Il No. 10-13 is located 1990 ft. from S line and 550 ft. from W line of sec. 10. 12/4 Sec. 10 A18 248 SIM. (Held) (Twp.) (Rango) (Meridian) Granter Anoth (County of Subdivision) (State or Territory) e elevation of the derrick floor above sea level is 4596 ft. DETAILS OF WORK to names of and expected depths to objective sandle show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemer ing points, and all other important proposed work) 11. Pall tubing, run Halliburton SVDC equeeze packer on work string of 2° at 5492' (midpoint of 36' separating perforations at 544-74 and 5510-23), munication. If 0.K., mix 50 sks. cemen count and squeeze Deport Creek performed the maximum helding pressure of 1500's Girculate out, lay down work water injection. If commiscation exists, spot 5 sks cemen (40') below inger out and up as high as possible without making commercian. Pull Brade with remaining 45 sks. cement to maximum pressure of 1500's, minimum pressure after obtaining decirca helding pressure, unch down to top of packer. Cir Ison. Lay down work string. Reporterate Decort Creek sone 5419-27. Im 2 state lined tubing with Baker Tension packer at approximately 5370' and cent approximately 5370' approximately 5370' approximatel		**************************************		19 · ·
(Held) (Granter Anoth (Granter Anot				· (C')
(Held) (Granter Anoth (Granter Anot	l No. 10-43 is loca	ated 1990 ft. from S	ine and 550 _ft. from	$\mathbf{n} \left\{ \begin{array}{c} \mathbf{r} \\ \mathbf{w} \end{array} \right\}$ line of sec
Granter Anath Granter Anath (Field) (County or Subdivision) (State or Territory) c elevation of the derrick floor above sea level is		(D)		WALK
celevation of the derrick floor above sea level is _4596.ft. DETAILS OF WORK In names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemer ine points, and all other important proposed work) 11. Pull tuking, run Halliburton SVDC equeese packer on work string of 2° at 5492' (midpoint of 36' separating perforations at 5454-74 and 5510-23), munication. If 0.ks, mix 50 sks. common common and squeece Desert Creek per \$10-23 with maximum holding pressure of 15006. Circulate out, lay down work flavour plastic lined tubing with Baker Tension Pecker at approximately 5370 to water injection. If communication exists, spot 5 sks commit (40') below inger out and up as high as possible without making commention. Pull Brade with remaining 45 sks. commit to maximum pressure of 15006, minisum pressure after obtaining desired holding processes, which down to top of packer. Cir lean. Lay down work string. Reperferate Desert Creek some 5419-29. The 2 stic lined tuking with Baker Tension packer at approximately 5370' and convenient well. Productions Flording 46 BO, 154 ECF gas, 16 BM in 24 hrs through 48/44" characteristics approximately 5370' and convenient well. Productions Flording 46 BO, 154 ECF gas, 16 BM in 24 hrs through 48/44" characteristics approximately 5370' and convenient well.		(Twp.) (Range)		
celevation of the derrick floor above sea level is _4596.ft. DETAILS OF WORK In names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemer ine points, and all other important proposed work) 11. Pull tuking, run Halliburton SVDC equeese packer on work string of 2° at 5492' (midpoint of 36' separating perforations at 5454-74 and 5510-23), munication. If 0.ks, mix 50 sks. common common and squeece Desert Creek per \$10-23 with maximum holding pressure of 15006. Circulate out, lay down work flavour plastic lined tubing with Baker Tension Pecker at approximately 5370 to water injection. If communication exists, spot 5 sks commit (40') below inger out and up as high as possible without making commention. Pull Brade with remaining 45 sks. commit to maximum pressure of 15006, minisum pressure after obtaining desired holding processes, which down to top of packer. Cir lean. Lay down work string. Reperferate Desert Creek some 5419-29. The 2 stic lined tuking with Baker Tension packer at approximately 5370' and convenient well. Productions Flording 46 BO, 154 ECF gas, 16 BM in 24 hrs through 48/44" characteristics approximately 5370' and convenient well. Productions Flording 46 BO, 154 ECF gas, 16 BM in 24 hrs through 48/44" characteristics approximately 5370' and convenient well.	Greater Anoth	San Juan		tab
DETAILS OF WORK to names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemer ing points, and all other important proposed work 11. Pall tubing, run Halliburton SVDC equeese packer on work string of 2° at 54,92° (midpoint of 36' separating perforations at 54,54-74 and 5510-23), munication. If 0.K., mix 50 ake, seamon seamont and squeece Desert Creek per 510-23 with maximum helding pressure of 1500%. Girculate out, lay down work maximum plastic lined tubing with Baker Tension Packer at approximately 5,370 to water injection. If semimination exists, spot 5 ake seamont (40°) below inger out and up as high as possible without making seamostion. Pall Brade with remaining 45 ake, seamont to maximum pressure of 1500%, minimum		(County or Subdivisi		(State or Territory)
at \$4,92' (midpeint of 36' separating perforations at \$4,54-74 and \$510-23), maniestica. If 0.K., mix 50 sks. seamen count and squeece Desert Creek per \$10-23 with maximum helding pressure of 1500%. Circulate out, lay down workstank plastic lined tubing with Baker Tension Packer at approximately \$370 to water injection. If communication exists, spot 5 sks seament (40') belowinger out and up as high as possible without making connection. Pall Brade with remaining 45 sks. seament to maximum pressure of 1500%, minisum pressure After obtaining desired helding pressure, which down to top of packer. Gir lean. Lay down work string. Reperferate Desert Greek some \$419-29. Run 2 stic lined tubing with Baker Tension packer at approximately \$370' and conveniently. Productions Flowing 46 BO, 154 MCF gas, 16 BM in 24 hrs through 48/44" characteristic flowing plant of work must receive approval in writing by the Geological Survey before operations may be commenced. May PHILLIPS PETROLEUN COMPANY		DETAILS OF	WORK	and in the constitution in
at \$4,92' (midpoint of 36' separating perforations at \$4,54-74 and \$510-23), manientien. If 0.K., mix 50 sks. seamon commt and squeece Desert Creek per \$10-23 with maximum helding pressure of 1500%. Circulate out, lay down wor Marian plastic limed tubing with Baker Tennion Packer at approximately \$370 to water injection. If communication exists, spet 5 sks coment (40') belowinger out and up as high as possible without making connection. Pall Brade with remaining 45 sks. coment to maximum pressure of 1500%, minisum pressuration obtaining desired helding pressure, unch down to top of packer. Gir lean. Lay down work string. Reperferate Desert Greek some \$419-27. Run 2 stic limed tubing with Baker Tennion packer at approximately \$370' and convajection well. Productions Floring 46 BO, 154 MCF gas, 16 BM in 24 hrs through 48/44" che understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. May PRILLIPS FERROLEUM COMPANY		DETAILS OF	WORK	gs; indicate mudding jobs, cem
Mariax plastic lined tubing with Baker Tension Packer at approximately 5370 to water injection. If communication exists, spot 5 eks coment (40°) belowinger out and up as high as possible without making commention. Pull Brade with remaining 45 eks. coment to maximum pressure of 1500%, minimum pressure After obtaining desires holding procesure, unch down to top of packer. Gir lean. Lay down work string. Reperferate Desert Creek some 5419-27. Run 2 stic lined tubing with Baker Tension packer at approximately 5370° and convenient well. Productions Floring 46 BO, 154 MCF gas, 16 BM in 24 hrs through 48/64° characteristics. Paracteristics of the convenient of the plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Impany PRILLIPS PETROLEUM COMPANY	te names of and expected depths to	DETAILS OF objective sands; show sizes, weights ing points, and all other impor	WORK , and lengths of proposed casin tant proposed work)	
Mariax plastic lined tubing with Baker Tension Packer at approximately \$370 to water injection. If communication exists, spot 5 sks coment (40°) below inger out and up as high as possible without making connection. Pull Brade with remaining 45 sks. coment to maximum pressure of 1500f, minimum pressur After obtaining desired holding pressure, which done to top of packer. Gir lean. Lay down work string. Reperferate Desert Crock sone 5419-27. Run 2 stic lined tubing with Baker Tension packer at approximately 5370° and convajoration well. Productions Flording 46 BO, 154 HCF gas, 16 BW in 24 hrs through 40/64° che understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Impany PHILIPS PETROLEUM COMPANY	te names of and expected depths to 11. Pull tubing, re at 54,92' (midpoint	DETAILS OF objective sands; show sizes, weights ing points, and all other impor m Halliburton SYDC of 36' separating po	WORK , and lengths of proposed casin tant proposed work) Equeese packer on proposed at 54	work string of 2' 54-74 and 5510-23
to water injection. If communication exists, spot 5 sks coment (40°) below inger out and up as high as possible without making connection. Pull Brade with remaining 45 sks. coment to maximum pressure of 1500f, minimum pressur After obtaining desired holding pressure, which does to top of packer. Gir lean. Lay down work string. Reperferate Desert Greek sone 5419-27. Run 2 stic lined tubing with Baker Tenedon packer at approximately 5370° and convenient and tubing with Baker Tenedon packer at approximately 5370° and convenient and the this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Impany PHILLIPS PETROLEUM COMPANY	te names of and expected depths to 11. Pull tubing, re at 5492' (midpoint mulection. If O.K.	DETAILS OF objective sands; show sizes, weights ing points, and all other impor m Halliburton SVDC of 36' separating po	WORK , and lengths of proposed casin tant proposed work) equeese packer en orferations at 54 and squeen	work string of 2' 54-74 and 5520-23's see Desert Creek y
Anger out and up as high as possible without making connection. Pull Brade with remaining 45 sks. coment to maximum pressure of 1500f, minimum pressure After obtaining desired helding pressure, which done to top of packer. Gir Lean. Lay down work string. Reperferate Desert Creek sone 5419-27. Run 2 stie limed tubing with Baker Tension packer at approximately 5370' and conveniently 5370'	te names of and expected depths to 11. Pull tubing, re at \$4,92' (midpoint munication. If O.K. 510-23 with maximum	DETAILS OF objective sands; show sizes, weights ing points, and all other impor m Halliburton SVDC (of 36' separating po- , mix 50 ske, common bolding pressure of	WORK , and lengths of proposed casin tant proposed work) queese packer on proposed casin tant proposed work) queese packer on proposed casin tant proposed work and square 1500%. Circulate	work string of 2' 54-74 and 5910-23' see Desert Creek y out, lay down w
with remaining 45 sks. coment to maximum pressure of 1500, minimum pressure After obtaining desired holding pressure, unch done to top of packer. Gir lean. Lay down work string. Reperferate Desert Greek sone 5419-29. Run 2 stie limed tubing with Beker Temeion packer at approximately 5370 and convenient well. Productions Flording 46 BO, 154 MCF gas, 16 BW in 24 hrs through 40/64 che understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Impany PHILIPS PETROLEIN COMPANY	te names of and expected depths to 11. Pull tubing, re at \$492' (midpoint munication. If 0.K. \$10-23 with maximum Maylox plastic lines	DETAILS OF objective sands; show sizes, weights ing points, and all other impor m Halliburton SVDC of 36' separating po , mix 50 size, commen halding pressure of tubing with Baker	WORK, and lengths of proposed casin tant proposed work) quoese packer on priorations at 54, a count and squee 1500%. Circulate reasien Packer at	work string of 2' M-74 and 5510-23' me Desert Creek ; out, lay down we approximately 53'
After obtaining desired helding pressure, which does to top of packer. Gir lean. Lay down work string. Reperferate Desert Greek sone 5419-27. Run 2 stie lined tuking with Baker Tension packer at approximately 5370' and convaporation well. Productions Flording 46 BO, 154 MCF gas, 16 BW in 24 hrs through 48/64" che understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Impany PHILLIPS PETROLEUM COMPANY	te names of and expected depths to LL. Pull tubing, re at \$4,92' (midpoint munication, If 0,K, \$10-23 with maximum Marian plastic lines to water injection.	DETAILS OF objective sands; show sizes, weights ing points, and all other impor m Halliburton SVDC of 36' separating po- mix 50 sks. common helding pressure of tubing with Baker if commissation or	WORK , and lengths of proposed casin tant proposed work) equeese packer on proposed casin tant proposed work) equeese packer on 1500%. Circulate casion Packer at 1500%, spot 5 cks	work string of 2' 54-74 and 5510-23' see Desert Creek y out, lay down we approximately 53' coment (40') belo
mjection well. Productions Flording 46 BO, 154 MCF gas, 16 BM in 24 hrs through 48/64" che understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Impany PRILIPS PETROLEUM COMPANY	te names of and expected depths to LL. Pull tubing, re at 54,92° (midpoint munication. If O.K. 510-23 with maximum Maylox plastic lines to water injection, inger out and up as	DETAILS OF objective sands; show sizes, weights ing points, and all other impor m Halliburton SVDC of 36' coparating pe of 36' coparating pe of 36' separating pe obling pressure of tubing with Baker if commissation ex high as possible with	WORK , and lengths of proposed casin tant proposed work) equeese packer en proposed casin tant proposed work) equeese packer en proposed casin tant proposed work) equeese packer en proposed casin tant p	work string of 2' 54-74 and 5510-23' see Desert Creek y out, lay down we approximately 53' concert (40') belo option. Pull Bree
Productions Flording 46 BO, 154 MCF gas, 16 BM in 24 hrs through 40/64° che understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Impany PRILLIPS PRINCIPUM COMPANY	te names of and expected depths to LL. Pull tubing, re at \$4,92' (midpoint manication, If 0, K, \$10-23 with maximum Maylow plastic lines to water injection, inger out and up as with remaining 45	DETAILS OF objective sands; show sizes, weights ing points, and all other impor in Halliburton SVDC of 36' separating po- of 36' separating po- is 50 sks. common helding pressure of tubing with Baker of it semantication of high as possible with ks. coment to maxim	WORK , and lengths of proposed casin tent proposed work) Equeese packer on proposed casin tent proposed work) Equeese packer on 1500/a Circulate length Packer at 1500/a Circulate length proposer of 15	work string of 2' 54-74 and 5510-23; see Desert Creek y s out, lay down we approximately 53' concet (40') belo setion. Pull Bree 506, minimum proces
understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. mpany PRILLIPS PRIME COPPANY	to names of and expected depths to 11. Pull tubing, re at \$4,92' (midpoint munication. If 0.K. \$10-23 with maximum Marian plastic lines to water injection. inger out and up as with remaining 45 at After obtaining does lean. Lay down work	DETAILS OF objective sands; show sizes, weights ing points, and all other import m Halliburton SVDC of 36' separating points, mix 50 sks. common halding pressure of tubing with Baker in If communication on high as possible with sks. coment to maximum tred halding pressure string. Reporteral	WORK , and lengths of proposed casin tant proposed work) queene packer on proposed casin tant proposed work) queene packer on 54, a commt and eque 1500/a. Circulate lengton Packer at 1500, spot 5 cks hout making commun pressure of 15, and done to be Desert Greek se	work string of 2' 54-74 and 5510-23's see Desert Creek y s out, lay down we approximately 53's comment (40') below setion. Pull Bred 507, minimum processos of packer. Gi one 5419-29. Bun
understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. mpany PRIMARY COPANY	to names of and expected depths to 11. Pull tubing, re at \$4,92' (midpoint munication. If 0.K. \$10-23 with maximum Maximum plastic lines to water injection. inger out and up as with remaining 45 at After obtaining does loan. Lay down work	DETAILS OF objective sands; show sizes, weights ing points, and all other import m Halliburton SVDC of 36' separating points, mix 50 sks. common halding pressure of tubing with Baker in If communication on high as possible with sks. coment to maximum tred halding pressure string. Reporteral	WORK , and lengths of proposed casin tant proposed work) queene packer on proposed casin tant proposed work) queene packer on 54, a commt and eque 1500/a. Circulate lengton Packer at 1500, spot 5 cks hout making commun pressure of 15, and done to be Desert Greek se	work string of 2' 54-74 and 5510-23's see Desert Creek y s out, lay down we approximately 53's comment (40') below setion. Pull Bred 507, minimum processos of packer. Gi one 5419-29. Bun
mpany PHILLIPS PETROLEUN COMPANY	to names of and expected depths to 11. Pull tubing, re et \$192' (midpoint) munication. If O.K. \$10-23 with maximum Mariax plastic lines to water injection, inger out and up as with remaining 45 of After obtaining des lean. Lay down work stic lines tubing wi njection well.	DETAILS OF objective sands; show sizes, weights ing points, and all other impor in Halliburton SVDC of 36' separating per of 36' separating per obling pressure of tubing with Baker of tubing with Baker of tubing with Baker of this as possible with the, coment to maxim three halding pressure to the Baker Tenesion page	WORK , and lengths of proposed casin tent proposed work) Equeese packer on proposed casin tent proposed work) Equeese packer on proposed casin tent on a square and square is to a specific packer of 15 mp. The course	work string of 2' 54-74 and 5510-23's see Desert Creek y sout, lay down we approximately 53's concet (40') belo setion. Pull Brad DOF, minimum press top of packer. Gi one 5419-29. Bun tely 5370' and con
	to names of and expected depths to li. Pull tubing, re at \$492' (midpoint munication. If 0.K. \$10-23 with maximum Marian plastic lines to water injection. inger out and up as with remaining 45 a After obtaining des lean. Lay down work stic lined tubing wi njection well. Productions Flording	DETAILS OF objective sands; show sizes, weights ing points, and all other impor m Halliburton SVDC of 36' separating po , mix 50 sks. common halding pressure of tubing with Baker if communication on high as possible with sks. coment to maximum ired halding pressur string. Reperform the Baker Tuncton page 146 BO, 154 MCF gas	WORK , and lengths of proposed casin tant proposed work) Equeene packer on proposed casin tant proposed work) Equeene packer on 54, a commt and equee 1500%. Circulate lengton Packer at cists, spot 5 cks hout making community, which down to be Desert Greek select at approximate 1, 16 BW in 24 hre	work string of 2' 54-74 and 5510-23's see Desert Creek y sout, lay down we approximately 53's coment (40°) belo setion. Pull Bred 50%, minimum proces top of packer. Of the 5419-29. Run taly 5370' and con through 48/64" el
dress P. O. Dresser 1150	e names of and expected depths to li. Pull tubing, re et 5492' (midpoint munication. If 0.K. 510-23 with maximum Marian plastic lines to water injection. inger out and up as with remaining 45 a After obtaining des lean. Lay down work stic lines tubing wi njection well. Productions Flording	DETAILS OF objective sands; show sizes, weights ing points, and all other impor m Halliburton SVDC of 36' separating po , mix 50 sks. common halding pressure of tubing with Baker if communication on high as possible with sks. coment to maximum ired halding pressur string. Reperform the Baker Tuncton page 146 BO, 154 MCF gas	WORK , and lengths of proposed casin tant proposed work) Equeene packer on proposed casin tant proposed work) Equeene packer on 54, a commt and equee 1500%. Circulate lengton Packer at cists, spot 5 cks hout making community, which down to be Desert Greek select at approximate 1, 16 BW in 24 hre	work string of 2' 54-74 and 5510-23's see Desert Creek y sout, lay down we approximately 53's coment (40°) belo setion. Pull Bred 50%, minimum proces top of packer. Of the 5419-29. Run taly 5370' and con through 48/64" el
11. 11 /2 /2	e names of and expected depths to li. Pull tubing, re et 5492' (midpoint munication. If 0.K. \$10-23 with maximum Marian plastic lines to water injection. inger out and up as with remaining 45 a After obtaining des lean. Lay down work stic lines tubing wi njection well. Productions Flowing understand that this plan of work	DETAILS OF objective sands; show sizes, weights ing points, and all other impor m Halliburton SVDC of 36' separating po , mix 50 sks. seamed halding pressure of tubing with Baker in If communication ex high as possible with taks. seament to maximum tred halding pressure terring. Reperformal th Baker Temporary the Baker Temporary A6 B0, 154 MCF gas must receive approval in writing by	WORK , and lengths of proposed casin tant proposed work) Equeene packer on proposed casin tant proposed work) Equeene packer on 54, a commt and equee 1500%. Circulate lengton Packer at cists, spot 5 cks hout making community, which down to be Desert Greek select at approximate 1, 16 BW in 24 hre	work string of 2' 54-74 and 5510-23's see Desert Creek y sout, lay down we approximately 53's coment (40°) belo setion. Pull Bred 50%, minimum proces top of packer. Of the 5419-29. Run taly 5370' and con through 48/64" el
	to names of and expected depths to II. Pull tubing, re at \$4,92' (midpoint munication. If 0.K. \$10-23 with maximum Maylox plastic lines to water injection. inger out and we as with remaining 45 a After obtaining decision. Lay down work stic lined tubing wi njection well. Productions Flording understand that this plan of work mpany PHILLIPS PETE	DETAILS OF objective sands; show sizes, weights ing points, and all other import in Halliburton SVDC of 36' separating points, mix 50 mks. common halding pressure of tubing with Baker if communication on high as possible with the common to maximum tires halding pressur to tring. Reperforming the Baker Tuncton page 146 BO, 154 MCF gas must receive approval in writing by MEUN CONFARY	WORK , and lengths of proposed casin tant proposed work) Equeene packer on proposed casin tant proposed work) Equeene packer on 54, a commt and equee 1500%. Circulate lengton Packer at cists, spot 5 cks hout making community, which down to be Desert Greek select at approximate 1, 16 BW in 24 hre	work string of 2' 54-74 and 5510-23's see Desert Creek y sout, lay down we approximately 53's coment (40°) belo setion. Pull Bred 50%, minimum proces top of packer. Of the 5419-29. Run taly 5370' and con through 48/64" el





HILLIPS PETROLEUM COMPANY

P. O. Drawer 1150 Cortez, Colorado

May 17, 1963

Utah Oil & Gas Conservation Commission 310 Newhouse Building Salt Lake City 11, Utah

Attention: Mr. Cleon . reignt

Dear Sirs:

In accordance with Rule E-4 of the Utah General Rules and Regulations, we wish to advise that the following wells located on the Ratherford Unit in San Juan County, Utah, were converted to water injection wells.

Old Well No.	New Well No.	Date Converted	Injection Rate	Injection Pressure
9-43	9143	5 -14-63	463 BWPD	1600#
10-43 Toxoco	10W43	5-15-63	360 BWPD	1650#

Details of the above conversions will be furnished on USGS Form No. 9-331b in the near future.

Yours very truly,

PHILLIPS PETROLEUM COMPANY

C. M. Boles

District Superintendent

HGC/bh



(A)	pril 19	52)	
		-	
I	·		



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

	Form approved. Budget Bureau No. 42-R359.4.	
_	4	

Indian Ag	ency	,
***********	Navajo	
Allottee _	Tribal	
Lesse No	14-20-603-4037	

Greater	ec, and Sec. No.) Aneth (Field) tion of the derrick	San Juan	Subdivision) (State or Territory)	- :
(34.8	ec. and Sec. No.)	(Twp.) (****	
Vell No. 1	ord Unit (Forme	orly Texas Co. No. 3) ated 1980 ft. from	Cortez, Coloredo June 12 Wajo Tribe "W" 2 and Phillips Rathe S line and 550 ft. from E line of sec	63 rford 10
NOTICE OF	INTENTION TO ABANDON I	WELL	Subsequent Feport to Squeeze Per- forations 5510-23 & convert to Wate	
	INTENTION TO PULL OR A		SUPPLEMENTARY WELL HISTORY	X
	INTENTION TO REDRILL O		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
	INTENTION TO TEST WATE		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF	INTENTION TO CHANGE PL		SUBSEQUENT REPORT OF WATER SHUT-OFF	

Copy Sthe

Form 9-331 (May 1963)	DEPAR	UN ED STATE TMENT OF THE GEOLOGICAL SUF	INTERI	SUBMIT IN TRIPLE (Other instructions verse side)	on re-	Form approve Budget Bures 5. LEASE DESIGNATION	u No. 42-R1424. AND SERIAL NO.
		OTICES AND REPO		ON WELLS ack to a different reservoir. oposals.)		6. if indian, allottes	OR TRIBE NAME
OIL GA	S OTHER	Water Injectio	n Well			7. UNIT AGREEMENT NA	
	lijs Putro	leum Co.				8. FARM OR LEASE NAM LICENSTRANCE 9. WELL NO.	
	or 1150, C	ortes, Colorado	with any	State magistroments #		10:43 10. FIELD AND POOL, O	R WILDCAT
See also space 1 At surface	7 below.)	n clearly and in accordance		from Best Line Se		Greater Anet	II BLK. AND
14. PERMIT NO.		15. ELEVATIONS (Show		et, GR, etc.)		12. county o f taki sh San Juan	Utah
16.	Check		ndicate N	ature of Notice, Repor		her Data	
Proposed wornent to this w	ze z z z z z z z z z z z z z z z z z z	ction well with	1,000 p	details, and give pertinentions and measured and true gallons regular a attempt to increa	results or Recomplet t dates, is vertical	200 ga llone S	on Well rm.) e of starting any and zones perti
•							

DATE

18. I hereby certify that the foregoing is true and correct

SUBMIT IN T		re*
(Other instruction verse side)	ns on	re-

Form approved. Budget Bureau No. 42-R1424.

	EOLOGICAL SURVEY	1/,-20-603-	4037
	CES AND REPORTS ON WELLS als to drill or to deepen or plug back to a different reservoir. TION FOR PERMIT—" for such proposals.)	6. IF INDIAN, ALLOTTE	EE OR TRIBE NAME
OIL GAS WELL OTHER	Water Injection Well	7. UNIT AGREEMENT N	
2. NAME OF OPERATOR Phillips Potroleum	Company	8. FARM OR LEASE NA Ratherford U	
3. ADDRESS OF OPERATOR BOX 1150. Corton.	Colorado	9. WELL NO. 10(43	
 LOCATION OF WELL (Report location of See also space 17 below.) At surface 	early and in accordance with any State requirements.*	10. FIELD AND POOL,	
SE/4 1930' from Sc Sec. 10	with Mine; 550' from Mast line	11. SEC., T., R., M., OR SURVEY OR ARE	sim
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.)	12. COUNT COLOR	
	4596 un graded ground	Jan Juan	Utah
16. Check Ap	propriate Box To Indicate Nature of Notice, Report, o	or Other Data	

SUBSEQUENT REPORT OF: NOTICE OF INTENTION TO: REPAIRING WELL PULL OR ALTER CASING WATER SHUT-OFF

TEST WATER SHUT-OFF ALTERING CASING MULTIPLE COMPLETE FRACTURE TREATMENT FRACTURE TREAT ABANDONMENT* ABANDON* * KROOTOKO ACIDIZING SHOOT OR ACIDIZE (Other) REPAIR WELL CHANGE PLANS (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) (Other)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

On November 20, 1964 acidized well with 1000 gallons 15% regular acid, 200 gallons Sol Block and 1,000 gallons regular acid. Resumed water injection.

Provious Injection Rate: 1206 MIPD at 2100#.

Present Injection rate: 1192 FWPD at vacuum.

8. I hereby certify that the foregoing is true and correct SIGNED	TITLE	Area Superintendent	DATE _	11-24-64
(This space for Federal or State office use)	,		DATE _	
CONDITIONS OF APPROVAL, IF ANY:	TITLE		DATE _	

STATE OF UTAH DIVISION OF OIL, GAS, AND MINING **ROOM 4241 STATE OFFICE BUILDING** SALT LAKE CITY, UTAH 84114 (801) 533-5771

FORM NO. DOGM-UIC-1 (Revised 1982)

(RULE I-5 & RULE I-4)

IN THE MATTER OF THE APPLICATION OF PHILLIPS PETROLEUM COMPANY	CAUSE NO
ADDRESS P.O. BOX 2920 CASPER, WYOMING ZIP 82602 INDIVIDUAL PARTNERSHIP X CORPORATION FOR ADMINISTRATIVE APPROVAL TO DISPOSE OR INJECT FLUID INTO THE 10W43 WELL SEC. 10 TWP. 41S RANGE 24E	ENHANCED RECOVERY INJ. WELL DISPOSAL WELL LP GAS STORAGE EXISTING WELL (RULE 1-4)
SAN JUAN COUNTY, UTAH	ATION

APPLICATION

Comes now the applicant and shows the Corporation Commission the following:

ease Name Ratherford Unit	Well No. 10W43	Field Greater	Aneth	County San Juan
ocation of Enhanced Recov ery njection or Disposal Well10W4	3 Sec. 10	T	wp. <u>415</u>	Rge. 24E
New Well To Be Drilled Yes 🗆 No 🛍	Old Well To Be Conve Yes	**	Casing Test Yes	M_No □ Date 5-83
epth-Base Lowest Known Wingatoresh Water Within ½ Mile 1550'	Does Injection Zone C Oil-Gas-Fresh Water	ontain Within ½ Mile YES 🂢		State What Oil & Gas
ocation of Desert Creek njection Source(s) San Juan	Paradox I & II River	Geologic Name(s) and Depth of Source		reek (5567') Juan River (Surface)
Geologic Name of Desert Cro	eek I	Depth of Injection Interval 5419	to <u>5474</u>	_
z. Top of the Perforated Interval: 5	419 b. Base of Fresh	Water: c. 1	ntervening Thic	kness (a minus b) 3869
s the intervening thickness sufficient t without additional data?	o show fresh water will be	protected YES NO	See	Attachment #4
ithology of Intervening Zones	See Attachment	#1		
njection Rates and Pressures	Maximum	275 (12/82) 2700		B/D PSI
he Names and Addresses of Those to				00515
Navajo Tribe, Minerals				86515
Superior Oil, P.O. Box			380	
Texaco Inc., P.O. Box			t Worth	TX 76102
Southland Royalty, 100	v Fort worth Ch			
Wyoming Wyoming)	PHILLIP		UM COMPANY
ounty of <u>Natrona</u> Before me, the undersigned	authority, on this do	y personally appe	aredA.	E. Stuart
nown to me to be the person wath states, that he is duly autherein, and that said report is	horized to make the	nea to the above H	SZIEGINICIII' A	file being by the dely entern e
Suscribed and sworn to	be the third some and the second seco	- Notary Public	大	83 -{ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
SEAL	County of	State of X A	Jonalel	d. Mover
	Natrona	Wyoming ()	Public in an	d for <u>Natrona Co., Wyo</u>
My commission expires &	My Commission Hymin	Nov. 3 1096 X		

FORM DOGM-UIC-1 (continued)

INSTRUCTIONS

- 1. Attach qualitative and quantitative analysis of representative sample of water to be injected and a qualitative and quantitive analysis of the injection formation of water.
- 2. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within one-half mile, together and with the name of the operator(s).
- 3. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division or appropriate government agencies.)
 - 4. Attach Electric or Radioactivity Log of Subject well (if released).
- 5. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
- 6. If the application is for a NEW well the original and six (6) copies of the application and three (3) complete sets of attachments shall be mailed to the Division. For EXISTING well applications (Rule I-4) only ONE copy of the application and ONE complete set of attachments are required to be mailed to the Division.
- 7. The Division is required to send notice of application to he surface owner of the land within one-half mile of the injection well and to each operator of a producing leasehole within one-half mile of the injection well. List all required names and addresses in the appropriate space provided on the front of this form.
- 8. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county of publication before the application is approved. The notice shall include the name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application may be approved administratively.
- 9. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed by January 31st each year.
- 10. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
 - 11. If there is less intervening thickness required by Rule I-5 (b) 4, attach sworn evidence and data.
- 12. For enhanced recovery projects, information required by Rule I-4 which is common to more than one well, need be reported only once on the application.

CASING AND TUBING DATA

NAME OF STRIN	G SIZE	SETTING DEPTH			TOP DETERMINED BY	
Surface	13-3/8"	100	250	Surface	Returns	
Intermediate	8-5/8"	1517	1300	Surface	Returns	
Production	5-1/2"	5620	200 + 400 Gal	Latex		
Tubing	2"	5365.98	Name Baker Model	- Type - Depth of	Tubing Packer 5365.98	
PB Total Depth 5554	Geologic Name - In Desert Creek	i. Zone Der I	oth - Top of Inj. Inte 5419'		- Base of Inj. Interval 5475'	

PLEASE TYPE OR USE BLACK INK ONLY

14-20-603-4037

(To be filed within 30 days after drilling is completed)

	DEPARTME	ENT OF NATURAL RESOURCES AND ENERG	į١
43-037-	16403	DIVISION OF OIL, GAS, AND MINING	

LEASE NO.

Arı	640 Acres N							
								_
	_			_	_		_	
W					-	-		
		\vdash					\rightarrow	

DIVISION OF OIL GAS, AND MINING Room 4241 State Office Building

Salt Lake City, Utah 84114 TWP. 41S COUNTY San Juantec 10 RGE. 24F COMPANY OPERATING Phillips Petroleum Company OFFICE ADDRESS P.O. Box 2920

TOWN Casper STATE ZIP Wyoming 82602 _ WELL NO. ___ 10W43 FARM NAME DRILLING STARTED 11-169 58 DRILLING FINISHED 12-8 19 58 DATE OF FIRST PRODUCTION 12-13-58 COMPLETED 12-24-58

WELL LOCATED NE W SE W _____W

1980 FT. FROM SL OF 1/4 SEC. & 550 FT. FROM WL OF 1/4 SEC. 4596 GROUND ___4586 RKB ELEVATION BERRICKFROOR ____

TYPE	COMPLETION	l

Locate Well Correctly

and Outline Lease

Single Zone _

Multiple Zone ____ Comingled .

LOCATION EXCEPTION

OIL OR GAS ZONES

Name	From	To	Name	From	To
Desert Creek I	5419	5475			
Desert Creek II	5510	5523			

CASING & CEMENT

	Casing Set				Csg. Test Cemen			
Size	Wgt.	Grade	Feet	Psi	Sax	Fillup	Төр	
13-3/8"	48#	H-40	88	No Test	250	-	Surface	
8-5/8"	24#	J-55	1507	1000	1300		Surface	
5-1/2"	14#	J-55	5500 🤿	1000	200+	·	4480	
	15.5#	J-55	110	5610'	400	Gal Late	×	
PBTD	5554'		<u></u>		TOTAL D	ертн <u>56</u>	20	

PACKERS SET Baker Model "A" Pkr @ 5365.98'

NOTE THIS FORM MUST ALSO BE ATTACHED WHEN FILING PLUGGING FORM DOGM-UIC-6

COMPLETION &	TEST	DATA BY	PRODUCING	FORMATION
				n :

Ø			
ORMATION Des	ert Creek I		
PACING & SPACING DRDER NO. Cause	40 acre #C-3(B)		•
CLASSIFICATION DISPOSAL WELL, ENHANCED RECOVERY, LP GAS STORAGE)	Enhanced Recovery		
PERFORATED	5419-29		
The second secon	5454-75		
INTERVALS			
ACIDIZED?	11/21/64 2000 Gal 15%		
	Reg. Acid		·
FRACTURE TREATED?	. No		
		====	

Squeeze perfs 5510-23' Converted to Injector 5/15/63 INITIAL TEST DATA

5/15/63 Date Oil, bbl./day Oil Gravity CF Gas, Cu. Ft./day Gas-Oil Ratio Cu. Ft./Bbl. Water-Bbl./day 360 **Pumping or Flowing** Pumping **CHOKE SIZE** FLOW TUBING PRESSURE 1650

A record of the formations drilled through, and pertinent remarks are presented on the reverse. (use reverse side)

I, the undersigned, being first duly sworn upon eath, state that this well record is true, correct and complete
according to the records of this office and to the best of my knowledge and belief.

A.E. Stuart, Area Manage Name and title of representative of company

Subscribed and swern before me this _

Casper

LOCATION: NESE Sec. 10-T415-R24E	- COMPLETION: 5.15.63
FIELD: GDEATER AND H	PRESENT STATUS: W.I.
RESERVOIR: Desert Creek I	
PKB 4596'	SURFACE CASING: 133/8" 48#
GL 4586' 100'	H-40
	85/2"
	INTERMEDIATE CASING: 85/8"
	PRODUCTION CASING: 51/2": 14# J-55 5500": 15.5# J-55
	PRODUCTION CASING 15.5# J-55
1577	110'.
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \	,,,,
PERFORATIONS:	
5454-75	
\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	
()	
₹	PACKER: BAKET model "A" PKr@ 5365.98'
·	Pkr@ 5365.98
	Tubing: 2"@ 5365.98'
\ \ \ \ \ \ \ \ \ \ \ \ \ \	
/	
5365.98 (2 × ×2)	
<u> </u>	
	•
	5419- 5475
E	
	•
<u> </u>	
PBTD: 5554/	
OTD: 5620'	·
5620	
	Phillips Petroleum Company

,

	a tan ta				ewo di		".					ABT. IV			70.20	•		1000		2.,.		•		*	•			, 1
		∕ ~		R + 2	1 - E				N - 24	1 - E			•••••		···						~~~~	****						1
															(C)(C)	000	7							•		•		
						ı										_	•	•	•	•	⊕	©	\odot		•		•	
						_		:	اجد ا	•			•	•	_		⊕	4	⊕)						
				•		T			•						-						•							
			-		•	<u> </u>	•	e				⊕		•		•		•		•		-	•	,	•		•	
				•		•	•										<u> </u>											
			•				•		⊕ -		-		•		•		9		⊕		•					•	0	
.		il.			ı	ı		•		•		•		•		\bullet_{μ}		•		•		•		•				
		+		•	•	•			•	7				•				•			- 10 -	0 .	۔۔۔۔۔		, 1	•	-0-	
			•	•			•						•								Ţ,					•		
		 					<u>-</u> ⊕	•		•		•		•		•		•	, -	•	<u>, /</u>	•	•	3		•		
		:				_	•	•	•		-				•		-		•				•		⊕ -		-0-	·
			•	'	•	ຸ .⊙	. •	`	7				•	•		•		•		•	•	•	•	•				
		•	•	•		•			1	•			1	7			•	•			11	s _	•		اھ	4		
			4		•		-⊕ -	•	•		⊕		•		-						-	•		•			•	
4,1		ل		<u> </u>				•		•		•		•	•	•		\odot		•				-+-				
				0	⊕ -	•			•		· •		•		-	******	-		•		•				•	1	•	
							•										_		<u> </u>			_ •	⊕ -			•		
	1	23 .				14	1	•		•		•	2	•		•	·2	•		•	ا ن د	•	•	•	2:	3 3		
	,								••		-•-			.₩			•	•	•		-		•		•	•		
			•	·			J	•					e ^c	•	•					•		•						
						•			•			<u> </u>														<u> </u>		•
					•	• •	_		•••		-		-		-	•	-		•	ļ. !	•		-				•	
		1 4,			ر '	13		-	_	(•	,	•		•	_			•		, ◎		+				•
				+				•		0	-6-			•			• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	•		- 11	7	÷	·	2 (•		RATHERFORD UNIT
			,	1					•		-⊕-		•								•							2" - 1 =11+
}														•				•		+		• .		•				RCT 3-83
	V.												+-		•		•		•									• ell producer
	,	33			•	•						+	,	,	•			•										water injector
	•	- •			•	•	•		د	٠		T.	د	ł				, •			3	4			3	•		Y domestic vater
													•		,		٠		•									plugged & shandoned shut in well
					•							-		•			,	•										unic boundry
				, 6	-13 - (R-24-1											•	•							

CL1-12A (REV. 1964)


CHEMICAL & GEOLOGICAL LABORATORIES

P. O. Box 2794 Casper, Wyoming

WATER ANALYSIS REPORT

OPERATOR_	Phillips Petroleum		DATE	5-27-83	LAB NO_	W30480
WELL NO_	Rutherford Unit		LOCATION			
FIELD			FORMATION			
COUNTY	San Juan		INTERVAL			
STATE	Utah		SAMPLE FROM	· · · · · · · · · · · · · · · · · · ·		
REMARKS &	CONCLUSIONS: Special S	ific gravity o	968 ⁰ F g/1		. 2.5	
	Alum	inum (Al), mg	/1		0.90	
	Iron	(Fe), mg/1			0.3	
		Sulfides, m				
Cations Sodium Potassium - Lithium Calcium Magnesium - Iron	<u>mg/1</u> 24574 396 5982 1419	meq/1 1068.99 10.14 - 298.50 116.64	Anions Sulfate Chloride Carbonate Bicarbonate Hydroxide Hydrogen sulfide		mg/1 1190 52000 0 190	meq/1 24.75 1466.40 0.00 3.12 - - 1494.27
	Total Cations	1494.27	•	Total Anions		1434.27
NaC1 equivale	nt, mg/1	85655 86344 7.4	Specific resistance Observed Calculate	i	- <u>0.095</u> - <u>0.086</u>	ohm-meters ohm-meters

WATER ANALYSIS PATTERN



CL1-12A (REV. 1964).


CHEMICAL & GEOLOGICAL LABORATORIES

P. O. Box 2794 Casper, Wyoming

WATER ANALYSIS REPORT

WAI	EK MIM	71020			w30636
PPERATOR Phillips Petroleum Covell NO Ratherford Unit FIELD San Juan COUNTY Utah	ompany	DATELOCATIONFORMATIONINTERVALSAMPLE_FROM_	- #1	1 Free wat 3 10:35	er knockout
REMARKS & CONCLUSIONS:					
Cations mg/1 Sodium 30147 Potassium 429 Lithium 6865 Magnesium 1738 Iron Total Cations	meq/1 1311.38 10.98 342.56 124.86 1807.78	Hydroxide - Hydrogen sulfic		mg/1 1380 63000 0 151	meq/1 28.70 1776.60 0.00 2.48 1807.78
Total dissolved solids, mg/1 NaCl equivalent, mg/1	103633 104549 7.3	Specific resistar Observ Calcula	red	0.087	ohm-meters

WATER ANALYSIS PATTERN



(Na value in above graphs includes Na. K. and LI)

NOTE: Mg/1=Milligrama per liter Meq/1= Milligram equivalents per liter

Sodium chloride equivalent=by Dunlap & Hawthorns calculation from components

CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW

Delacor.	11 No. Retherford Unit 10 WY
	Sec. 10 API# 43-037-1640
ew Well Conversion Disposal Wel	1 Enhanced Recovery Well
	YES NO
UIC Forms Completed	
Plat including Surface Owners. Lea and wells of available record	seholders,
Schematic Diagram	
Fracture Information	
Pressure and Rate Control	
Adequate Geologic Information	
Fluid Source	Desert neck
Analysis of Injection Fluid	Yes \sqrt{NO} NO $\sqrt{TDS 8565}$
Analysis of Water in Formation to be injected into	Yes No TDS/0363
Known USDW in area	Ungate Depth 1550
Number of wells in area of review	
Aquifer Exemption	Yes NA
, Mechanical Integrity Test	Yes No
	DateType
Comments:	
· · · · · · · · · · · · · · · · · · ·	
Reviewed by:	

Mobil Oil Corporation

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: R. J. Firth

Associate Director



DIVISION OF OIL. GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly cwned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

R. D. Baker

Environmental Regulatory Manager

CNE/rd CNE8661

)

UTAH DIVISION OF OIL, GAS AND MINING CASING-BRADENHEAD TEST

OPERATOR: \mathcal{V}_{h}	llips	Petro	leur	<u>~</u>			
FIELD: Great	er A	neth	·	LEASE:	atherford	Unit	L
WELL #	W43			SEC/O	TOWNSHIP 4/S	RANGE_	24E
STATE FED F	EE DEPT	н <i>555</i>	<u>4</u> TYP	PE WELL TA	IJW MAX. INJ	PRESS.	2700 ps
test date 6/	17(8)	6					
CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS		FUTURE
SURFACE	133/8	100'	250				
INTERMEDIATE	85/8	1517'	1300				
PRODUCTION	51/2	5620	200 + 4 <u>00 Late</u> .	x	Shall gos	How	OR
TUBING	2	5365.98		1580			
	Bakerm	odel "A" F	Pkrat 5	365.98			
CASING STRING SURFACE	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	42	FUTURE
INTERMEDIATE					,		
PRODUCTION		·	-		<u> </u>		
TUBING			· ——				
CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS		FUTURE
SURFACE							
INTERMEDIATE	· <u></u>			,			
PRODUCTION				**************************************			
TUBING	· · · · · · · · · · · · · · · · · · ·		· ———				

(Rovember 1983) (Formerly 9–331) DEPARTME) STATES OF THE INTERI IND MANAGEMENT	· · · · · · · · · · · · · · · · · · ·	Expires August 3 5. LEASE DESIGNATION AS	1, 1985
SUNDRY NOTICES AT (Lio not use this form for proposals to drill Use "APPLICATION FOR			6. IF INDIAN, ALLOTTER C	A TRIBE HAME
	PERMIT—" for such p	roposala.)		
OIL GAS ()	************		RATHERFORD UNIT	_
WELL WELL OTHER WATER 2. NAME OF OPERATOR	INJECTION & WA	ATER SUPPLY WELLS	8. PARM OR LEASE HAME	
PHILLIPS PETROLEUM COMPANY			*	
S. ADDRESS OF OPERATOR		and the same and the same and the same	9. WELL NO.	
152 N. DURBIN, 2ND FLOOR, CAS 4. LOCATION OF WELL (Report location clearly and 1)			VARIOUS (see	·
See also space 17 below.) At surface			GREATER ANET	
SEE ATTACHED		00 1000	11. 8BC., T., B., M., OR BLA	
	الله الله الله	MAR 20 1989	Sections 1 t	hru 30
	•		T41S - R23E	
14. PERMIT NO. 15. BLEVA	TIONS (Show whether DF		12. COUNTY OR PARISH	
		HE, OND & MEDICA	San Juan	Utah
	Box To Indicate N	lature of Notice, Report, or		
NOTICE OF INTENTION TO:		203636	CORKI REPORT OF:	
TEST WATER SHUT-OFF PULL OR ALT	ER CABING	WATER SHUT-OFF	REPAIRING WE	<u>ц</u>
PRACTURE TREAT MULTIPLE CO	DMPI.ETE	PRACTURE TREATMENT	ALTERING CASI	×0
SHOOT OR ACIDIZE		(Other) CHANGE OF	ABANDONMENT	,
REPAIR WELL CHANGE PLANCE	,	(Nors: Report result	ts of multiple completion on pletion Report and Log form.	Weil
the Ratherford Unit	, listed on th	ction and Water Supp he attached sheet, w ffective August 1, 1	ere sold	
(former Operator -	Phillips Oil	Company)		
	•			
•				
•				
		2 ==	BLM, Farmington, Utah O&G CC, SLC	
		1 -	File	
18. I hereby certify that the foregoing is true and c		strict Superintenden	t March 1	7, 1989
(This space for Federal or State office use)				
APPROVED BY	TITLE		DATE	 .
CONDITIONS OF APPROVAL, IF ANY:				

DOWNHOLE SCHEMATIC

Date: 8/6/87

RATHER FORD Unit # 10W43 4596 RKB Elev. 4585 GL ELEU. /1 RKB About GL'

LOCATION NE SE Sec. 10 T415-R24E WEIL DRID 12/8/58 Well converted to injector 5/15/63

Conductor Csc 133/8@ 100'

Surface Cs6. 85/10 1517'

TOC 4257'CALC.

Tubing 2 @ 5370' MARIEX LINEO

PACKER BALLER LOC-SET PER @ 5389

PERPS 5,419 - 29 5,454 - 74

PBTD 55541

5/2 0 5620 PRODUCTION Csg.

All Perfs Zone I unless NotED

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

AUG 1 6 1993

N0772

P J KONKEL
PHILLIPS PETROLEUM COMPANY
5525 HWY 64 NBU 3004
FARMINGTON NM 87401

(אלו

REPORT PERIOD (MONTH/YEAR)

6 / 93

DIVISION OF

OIL, GAS & MININGMENDED REPORT [(Highlight Changes)

Well Name	Producing	Well	Days		Production Volumes	
API Number Entity Location	Zone	Status	Oper	OIL(BBL)	GAS(MCF)	WATER(BBL)
#21-23 4303713754 06280 415 24E 21	DSCR	POW	29	1374	883	58
#3-44 4303715031 06280 415 24E 3	DSCR	POW	30	///	94	2905
#3-14 4303715124 06280 415 24E 3	DSCR	POW	30	67	23	302
#9-12 4303715126 06280 41S 24E 9 #9-14	DSCR	POW	30	112	654	17363
#9-14 4303715127 06280 41S 24E 9 #28-12	DSCR	POW	30	201	315	423
#20-12 4303715336 06280 415 24E 28 #29-12	PRDX	POW	29	112	47	2428
#29-12 4303715337 06280 415 24E 29 #29-32	PRDX	POW	29	56	0	672
#29-32 4303715339 06280 415 24E 29 #29-34	DSCR	POW	29	1402	287	2224
#29-34 4303715340 06280 415 24E 29 #30-32	DSCR	Pow	29	757	48	0
#30-32 4303715342 06280 415 24E 30 #3-12	DSCR	POW	29	588	1049	3744
4303715620 06280 41S 24E 3	DSCR	POW	30	268	11	363
#9-34 4303715711 06280 415 24E 9	DSCR	POW	30	45	46	9800
#10-12 4303715712 06280 41S 24E 10	DSCR	POW	30	45	23	1088
1544			TOTALS	5138	3480	41370

COMMENTS: Effective July 1, 1993, Phillips Petroleum Company has sold its interest in the

Ratherford Unit to Mobil Exploration and Producing U.S., Incorporated, P. O. Box

633, Midland, Texas 79702. Mobil assumed operations on July 1, 1993.

I hereby certify that this report is true and complete to the best of my knowledge.

Date: 8/11/93

Name and Signature: PAT KONKEL

Pat Konkel

Telephone Number: 505 599-3452

WELL #	API#	LEASE #	SEC., T, R	LOCATION OF WELL
		14-20-603-246A	SEC. 1, T41S, R23E	NW/SW 1980 FSL; 660 FWL
01-14 01W-24	43-037-31162 43-037-15 <i>8</i> 39	14-20-603-246A	SEC. 1, T41S, R23E	SW/SW 660 FSL; 660 FWL SE/SW 651 FSL; 3300 FEL
01-34	43-037-16385	14-20-603-246 14-20-603-246A	SEC. 1, T41S, R23E SEC. 1, T41S, R23E	SW/SE 4147 FNL; 1980 FEL
01W-44	43-037-15840	14-20-603-246A	SEC. 1, T41S, R23E	660 FSL; 661 FEL
	43-037-16386	14-20-603-246A	SEC. 2, T41S, R23E	SE/SE 810 FNL; 5110' FWL
7		14-20-603-5445	SEC. 3, T41S, R24E	660 FSL; 660 FEL
4 03-12	43-037-15620	14-20-603-6506	SEC. 3, T41S, R24E	SW/NW 2140 FNL; 660 FWL
	43-037-16388	14-20-603-6505	SEC. 3, T41S, R24E	SW/NE 1980 FNL; 660 FEL
7		14-20-603-6504	SEC. 3, T41S, R24E	520 FSL; 820 FEL
04-14	43-037-16163 43-037-16164	14-20-603-5446 14-20-603-4035	SEC. 4, T41S, R24E SEC. 4, T41S, R24E	500 FSL; 600 FEL 660 FSL; 1980 FEL
405-34	43-037-16104	14-20-603-4035	SEC. 5, T41S, R24E	SW/SE 612 FSL; 1990 FEL
05W-43	43-037-16392	14-20-603-368	SEC. 5, T41S, R24E	1400 FSL; 990 FEL
	43-037-15984	14-20-603-368	SEC. 6, T41S, R24E	SW/SW 660; FSL; 660 FWL
	43-037-16393	14-20-603-368	SEC. 6, T41S, R24E	1830 FSL; 1895 FWL
u07-11	43-037-31163	14-20-603-368	SEC. 7, T41S, R24E	NW/NW 660 FNL; 710 FWL
	43-037-15985	14-20-603-368	SEC. 7, T41S, R24E	SW/NW 2140 FNL; 585 FWL
07-13	43-037-31164	14-20-603-368	SEC. 7, T41S, R24E	NW/SW 2110 FSL; 740 FWL
	43-037-15986	14-20-603-368	SEC. 7, T41S, R24E	SW/SW 1065 FSL; 660 FWL
	43-037-16394	14-20-603-368	SEC. 7, T41S, R24E	710 FNL; 1820 FWL
407-22	43-037-31165 43-037-15987	14-20-603-368 14-20-603-368	SEC. 7, T41S, R24E SEC. 7, T41S, R24E	SE/NW 1980 FNL; 1980 FWL NE/SW 1980 FSL 1980 FWL
107-24	43-037-15587	14-20-603-368	SEC. 7, T415, R24E	SE/SW 880 FSL; 2414 FWL
	43-037-15988	14-20-603-368	SEC. 7, T415, R24E	SW/NE 1980 FNL; 1980 FEL
	43-037-31167	14-20-603-368	SEC. 7, T41S, R24E	NW/SE 2105 FSL; 1876 FEL
	43-037-15989	14-20-603-368	SEC. 7, T41S, R24E	710 FSL; 2003 FEL
67W-41	43-037-15990	14-20-603-368	SEC. 7, T41S, R24E	NE/NE 585 FNL; 770 FEL
07W43	43-037-16395	14-20-603-368	SEC. 7, T41S, R24E	2110 FSL; 660 FEL
407-44	43-037-31189	14-20-603-368	SEC. 7, T41S, R24E	SE/SE 737 FSL; 555 FEL
ل 08-12	43-037-15991	14-20-603-368	SEC. 8, T41S, R24E	SW/NW 1909 FNL; 520 FWL
7	43-037-15992	14-20-603-368	SEC. 8, T41S, R24E	745 FSL; 575 FWL
₩08-21	43-037-15993	14-20-603-368	SEC. 8, T41S, R24E	616 FNL; 1911 FWL
408-23 408-32	43-037-15994 43-037-15995	14-20-603-368 14-20-603-368	SEC. 8, T41S, R24E	NE/NW 1920 FSL; 2055 FWL SW/NE 1980 FNL; 1980 FEL
08-34	43-037-15996	14-20-603-368	SEC. 8, T41S, R24E SEC. 8, T41S, R24E	SW/SE 660 FSL; 1980 FEL
08-41	43-037-15997	14-20-603-368	SEC. 8, T41S, R24E	NE/NE 660 FNL; 660 FEL
	43-037-16396	14-20-603-368	SEC. 8, T41S, R24E	1980 FSL; 660 FEL
	43-037-16398	14-20-603-5046	SEC. 9, T41S, R24E	NW/SE 1980 FSL; 1980 FWL
6 9-12	43-037-15126	14-20-603-5045	SEC. 9, T41S, R24E	1865 FNL; 780 FWL
	43-037-16397	14-20-603-5045	SEC. 9, T41S, R24E	660 FNL; 2080 FWL
09-14A	43-037-15127	14-20-603-5046	SEC. 9, T41S, R24E	710 FSL; 660 FWL
09-32	43-037-16165	14-20-603-4035	SEC. 9, T41S, R24E	1980 FNL; 1980 FEL
09W-41	43-037-16399	14-20-603-4035	SEC. 9, T41S, R24E	660 FNL; 660 FEL
	43-037-16400 43-037-16402	14-20-603-4043 14-20-603-4043	SEC. 9, T41S, R24E SEC. 10, T41S, R24E	1980 FSL; 660 FEL 1980 FSL; 1980 FWL
10-14	43-037-16402	14-20-603-4043	SEC. 10, 1415, R24E	510 FSL; 710 FWL
10-12	43-037-15712	14-20-603-4043	SEC. 10, T415, R24E	660 FWL; 1980 FNL
10W-21	43-037-16401	14-20-603-4043	SEC. 10, T41S, R24E	810 FNL; 1980 FWL
10-34	43-037-16166	14-20-603-4037	SEC. 10, T41S, R24E	620 FSL; 1860 FEL
10W-43	43 -037-16403	14-20-603-4037	SEC. 10, T41S, R24E	1980 FSL; 550 FEL
11-41	43-037-31544	14-20-603-246A	SEC. 11, T41S, R23E	NE/NE 860 FNL; 350 FEL
	43-037-15841	14-20-603-246	SEC. 11, T41S, R23E	3290 FNL; 4617 FEL
11-43	43-037-31622	14-20-603-246A	SEC. 11, T41S, R23E	1980 FSL; 660 FEL
11W-44	<u> </u>	14-20-603-246A	SEC. 11, T41S, R23E	SE/SE 660 FSL; 558 FEL NW/NW 678 FNL; 4620 FEL
12W-11 12-12	43-037-15843 43-037-31190	14-20-603-246A 14-20-603-246A	SEC. 12, T41S, R23E SEC. 12, T41S, R23E	SW/NW 1850 FNL; 660 FWL
v12W-13	43-037-31190	14-20-603-246A	SEC. 12, T415, R23E	1980 FSL; 4620 FEL
12-14	43-037-15844	NA	SEC. 12, T415, R23E	660 FNL; 4622 FWL
12-21	43-037-31201	14-20-603-246A	SEC. 12, T415, R23E	NE/NW 660 FNL; 1980 FWL
12W-22	43-037-15845	14-20-603-246	SEC. 12, T41S, R23E	NA -
12-23	43-037-1584&	14-20-603-246A	SEC. 12, T41S, R23E	1958 FNL; 3300 FWL
12W-24	43-037-31151	14-20-603-246A	SEC. 12, T41S, R23E	775 FSL; 1980
12-32	43-037-31203	14-20-603-246A	SEC. 12, T41S, R23E	
12W-33	43-037-15848	14-20-603-246A	SEC. 12, T41S, R23E	NW/SE 1957 FSL; 1981 FEL
12-34	43-037-31126	14-20-603-246A	SEC. 12, T41S, R23E	
12-41	43-037-15849	14-20-603-246A	SEC. 12, T41S, R23E	
412W-42	43-037-15850	14-20-603-246A	SEC. 12, T41S, R23E	3275 FSL; 662 FEL



DIVISION OF PALOIL, GAS & MINING

PAld PAld

-14-20-603-246 -SENW 1920 FNL 2080 FWL

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

			S. LEASE DESIGNAT	TION & SERIAL NO.
SUNDRY NOTICES A (Do not use this form for proposals to dri Use "APPLICATION"	AND REPORTS C	k to a different reservoir.	6. IF INDIAN. ALLO NAVAJO TRIB	TTEE OR TRIBE NAME
OIL GAS			7. UNIT AGREEMEN	TNAME
NAME OF OPERATOR	nd e	and the last of the	RATHERFORD	
MOBIL OIL CORPORATION	1100-1100 H		2[U]	
- -	AND, TX 79702	SEP 1 3 1993	T. WELL NO.	
LOCATION OF WELL (Report location clearly and in ac See also space 17 below.) At surface	cordance with any State requi		GREATER A	- •
At proposed prod. Zone		DIVISION OF OIL, GAS & MININ	11. SEC., T. R., M., C SURVEY O	
4. API NO. 15. ELS	VATIONS (Show waether DF,	RT, GR, etc.)	SAN JUAN	UTAH
6. Chack Appropri	. 0 7 1 1 4			
" Check Appropris	ate Box To Indicate Na	ture of Notice, Report or		
		SUBS	SEQUENT REPORT OF:	
 	TER CASING	WATER SHUT-OFF	 	ING WELL
FRACTURE TREAT MULTIPLE C SHOOT OR ACIDIZE ABANDON	OMPLETE	FRACTURE TREATMENT		NG CASING DIMENT*
REPAIR WELL CHANGE PL	ANS -	SHOOTING OR ACIDIZING (Other) <u>CHANGE</u>		NAME A !
(Other)		(Note: Report resu	Its of multiple completion completion Report and	
APPROX. DATE WORK WILL START		DATE OF COMPLETION		
AS OF JULY1, 1993, MOBIL OF ATTACHED ARE THE INDIVIDU	OII, CORPORATION	* Must be acco	mpanied by a cement	verification repor
			,	
3. Thereby certify that the foregoing is true and SIGNED MINING. Odd.	•	V. & REG TECHNICI	AN DATE 9	-8 - 93
(This space for Federal or State office use)				
APPROVED BY	TITLE		DATE	

001 25 1995

Way was seen to

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

	OB., GAS CONTINIO
Well name and number:	
Field or Unit name: RATHERFORD UNIT	API no.
Well location: QQ section townsh	nlp range county
Effective Date of Transfer:	
CURRENT OPERATOR	
Transfer approved by:	
Name Ed Hasely	Company Phillips Petroleum Company
Signature & Hasely	Address 5525 HWY. 64
Title Environmental Engineer	Farmington, NM 87401
Oate October 22, 1993	Phone (505) 599-3460
Comments:	
NEW OPERATOR	(
Transfer approved by:	
NameShirley Todd	Mobil Exploration & Producing North America Company
the state of the s	Address P 0 Box 633
Title Env. & Reg. Technician	Midland, TX 79702
Date October 7, 1993	Phone (915) 688-2585
Comments:	
(State use only) Transfer approved by	Title/toc Manyer_
Approval Date 10-27-93	U

Lisha Cordova

(801) 538-5340

BEFORE THE OIL AND GAS COMBERVATION COMMESSION OF THE STATE OF UTAH

APPLICATION OF PHILLIPS FETRCLEUM

COMPANY FOR THE APPROVAL OF THE

UNIT OPERATIONS AND PRESSURE MAIN—

TENANCE PROGRAM FOR THE RATHERFORD

UNIT IN THE CREATER AMETH AREA,

SAN JUME COUNTY, UTAH

CAUSE NO. 63

ORDER

This Cause came on for hearing before the Oil and Gas Conservation

Commission of the State of Utan at 10 o'clock a. m. on Wednesday, September 13,

1961, in the Crystal Room, Motel Newhouse, Fourth South at Main Street, Salt

Lake City, Utah, pursuant to notice duly and regularly given. The entire Commission, except Walter G. Mann, was present, Edward W. Clyde presiding. Appearances were made as follows: Cecil G. Manilton, attorney, on behalf of Phillips

Petroleum Company; Clair M. Senior, attorney, on behalf of Texaco, Inc.; Gordon

Mayberry, attorney, on behalf of Continental Oil Company; R. R. Robison on behalf of Shell Oil Company. Others present included Carl Trawick, on behalf of

United States Ceological Survey; and J. R. White, on behalf of Texaco, Inc.

Evidence in support of the application was introduced by Phillips
Petroleum Company, the applicant and Unit Operator of the Ratherford Unit,
which embraces as the unit area the following described land in San Juan County,
State of Utah, to wit:

TO MSHIP 41 SOUTH, RANGE 23 EAST, SLEM

Section 1:	АП	Sections 12 and 13:	311
Section 2:	3/2	Section 14:	3/2
Section 11:	3/2	Section 24:	311

TOWNSHIP 41 SOUTH, RANGE 24 BAST, SLEM

Section:3: Section 4: Sections 5 through 9: Section 10:	SW/4 S/2 All S/2 and WE/4	Sections 15 through 21: Section 22:	All MW/4 and W/2 of the
Section 11:	and 8/2 of NE/4 S/2 of SW/4	Section 23:	SW/4 ME/4 and M/2 of ME/4 and M/2 of SW/
Section 14:	¹ 1/2	Section 29 and 30: Section 31: Section 32:	All 11/2 11/2

2. 2. Acbison on behalf of hell Dil Company stated that (as contemplated by paragraph No. 5 of the Commission's order of Pebruary 24, 1959, in Cause No. 17 authorizing the drilling of certain test wells) Shell would submit to the Commission, as arbiter, the question as between Shell and Superior Dil Company

of the monetary value, if any, to be attributed to three test wells drilled within the Ratherford Unit area pursuant to said order of February 24, 1959.

No objection to the granting of the application was filed or expressed. The Shell Oil Company, Texaco, Inc. and Continental Oil Company expressed their support of the application of Phillips Petroleum Company.

FINDINGS OF FACT

The Commission finds that:

- l. The unitized operation of the Ratherford Unit Area will enable pressure maintenance operations to be initiated and permit such Area to be operated in a manner which will prevent waste, protect correlative rights and result in greater ultimate recovery of oil and gas.
- 2. The Ratherford Unit Agreement has been approved by the various signatory parties as fair, reasonable and acceptable.
- 3. The water injection pressure maintenance program proposed by the applicant appears to be proper and designed to result in the greatest economic recovery of oil and gas to the end that all concerned, including the general public, may realize and enjoy the greatest good from the oil and gas resources of the unitized lands.

ORDBR

THEREFORE, IT IS OFDERED BY THE COMMISSION, and subject to its continuing jurisdiction, that:

- 1. Unit operation of the Ratherford Unit Agreement is approved.
- 2. The plan and program of water injection pressure maintenance operations proposed by applicant in its application filed herein should be and the same is hereby approved and the unit operator is authorized to proceed with and under such plan and program as soon as the Ratherford Unit Agreement becomes effective and operative.
- 3. If, at any time or from time to time, it appears necessary or desirable to the unit operator to alter or modify the hereby approved plan of pressure maintenance, any such alteration or modification shall be submitted for

and shall be subject to approval by the Commission or its delegated representative, which approval may be given without notice or hearing, unless otherwise ordered or directed by the Commission.

Dated this 13th day of September, 1961.

THE OIL AND GAS CONSERVATION COMMISSION OF THE STATE OF UTAH

Edward W. Clyde, Commissioner presiding

C. R. Henderson, Chairman

W. W. Hetch. Commissioner

C. S. Thomson, Commissioner

Walter G. Mann, Commissioner

• 5	
FORM 11	
À	
j	
\sim	

STATE OF UTAH /ISION OF OIL, GAS AND MINING

Page	1	of	1
1 apc _		O1	

¢,			•	distole or c	JIL, GAS AN	, will the			Page 1 of 1
		MON	THLY O	IL AND	GAS DI	SPOSITIO	N REPOR	Γ	
		NAME AND				UTAH	ACCOUNT NUMBE	.r.:N7	370
	BR-I-AI	I BERRY	1081L 1 <mark>07A RENTW</mark> 1221-9031		WER G :, Co. 813	REPOR	T PERIOD (MONTI	H/YEAR):	7 / 93
,			* *	93100le uj	odated. fee				
ENTITY	PRODUCT	GRAVITY	BEGINNING	VOLUME		DISPOSIT	ions		ENDING
NUMBER		вти	INVENTORY	PRODUCED	TRANSPORTED	USED ON SITE	FLARED/VENTED	OTHER	INVENTORY
	OIL			177(00	177609	0			
05980	GAS			72101		5885			
	OIL							•	
11174	GAS								
	OIL								
	GAS								
	OIL								
	GAS						Will	CEIL	
	OIL						W.	- A 7 40	
	GAS						3	EP 1 3 19	
	OIL							IVISION (GAS & M	
	GAS								
	OIL								
	GAS								
		TOTALS		249710	243825	5885			
COMMENT	IS: FLEAS	ENOTE	- ADDR	ESS CH	ANGC.	Mosin A	Sortez, C	erion.	REPORTS
	Will-be	2 Com	DILED ,	AND S	nt from	mthe C	ortez, C	n. 0/4	ce
I hereby c	eruty that thi	s report is tru	e and complete	to the best of r	my knowledge.		Date:	· /	
Name and	Signature:	Towell	LB An	Millela	1		Telephone	Number 24	3 86 52212

(6/93)

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

BUREAU OF LAND MANAGEMENT 5. Lease Designation and Serial No. 14-20-603-4037 SUNDRY NOTICES AND REPORTS ON WELLS 6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. **NAVAJO TRIBAL** Use "APPLICATION FOR PERMIT—" for such proposals 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE RATHERFORD UNIT 1. Type of Well Oil Well Other Injection Well 8. Well Name and No. 10W-43 2. Name of Operator MOBIL EXPLORATION & PRODUCING U.S. INC. AS AGENT FOR MEPNA/MPTM 9. API Well No. 3. Address and Telephone No. 43-037-16403 (915)688-2585 10. Field and Pool, or Exploratory Area P O BOX 633 MIDLAND, TX 79702 Location of Well (Footage, Sec., T., R., M., or Survey Description) 1980' FSL, 550 FEL **GREATER ANETH** 11. County or Parish, State SEC. 10, T41S, R24E SAN JUAN, UT CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 12. TYPE OF SUBMISSION TYPE OF ACTION X Notice of Intent Change of Plans Abandonment New Construction Recompletion Subsequent Report Non-Routine Fracturing Plugging Back Water Shut-Off Casing Repair Final Abandonment Notice Altering Casing Conversion to Injection Other SHUT IN STATUS Disnose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

MOBIL REQUEST TEMPORARY SHUT IN STATUS. A WORKOVER IS SCHEDULED FOR THE 4TH QUARTER OF 1994. Accepted by State of Utah Division of Oil, Gas and Date: 9-28-93 DIVISION OF OIL. CAS & MININ' 14. I hereby certify that the foregoing is true and correct Title ENV. & REG TECHNICIAN SHIRLEY TODD (This space for Federal or State office use) Approved by <u>Federal Approval.</u>
Conditions of approval, if anyaction is Necessary Federal Approval of this

Sept 29, 1993

To: Lisha Cordova-Utah Mining From: Janice Easley BLM Farmington, NM 505 599-6355

Here is copy of Ratherford Unit Successor aprator.

4 pages including this one.

Eles rothinged Unit (GC)

TOEIVED M. 181

Navajo Area Office
P. O. Box 1060
Gallup, New Mexico 87305-1060

079 FAININGLON, NM

ARES/543

July 10 1000

Mr. G. D. Cox Mobil Exploration and Producing North America, Inc. P. O. Box 633 Midland, Texas 79702

Dear Mr. Cox:

Enclosed for your information and use is the approved Designation of Operator between the Phillips Petroleum Company and Mobil Exploration and Producing North America, Inc. for the Ratherford Unit.

Please note that all other concerned parties will be furnished their copy of the approved document.

Sincerely,

Alipsocomme

ACTING Area Director

Enclosure

cc: Bureau of Land Management, Farmington District Office w/enc. TNN, Director, Minerals Department w/enc.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF INDIAN AFFAIRS



DESIGNATION OF OPERATOR

Phillips Petroleum Company is, on the records of the Bureau of Indian Affairs, operator of the Ratherford Unit,

AREA OFFICE: Window Rock, Arizona LEASE NO: Attached hereto as Exhibit "A"

070 FARMINGTON, NM

and, pursuant to the terms of the Ratherford Unit Agreement, is resigning as Unit Operator effective July 1, 1993, and hereby designates

NAME: Mobil Exploration and Producing North America Inc., duly elected pursuant to the terms of the Ratherford Unit Agreement,

ADDRESS: P. O. Box 633, Midland, Texas 79702

Attn: G. D. Cox

as Operator and local agent, with full authority to act on behalf of the Ratherford Unit lessees in complying with the terms of all leases and regulations applicable thereto and on whom the authorized officer may serve written or oral instructions in securing compliance with the Operating Regulations (43 CFR 3160 and 25 CFR 211 and 212) with respect to (described acreage to which this designation is applicable):

Attached hereto as Exhibit "A"

Bond coverage under 25 CFR 211, 212 or 225 for lease activities conducted by the above named designated operator is under Bond Number <u>05202782</u> (attach copy). Evidence of bonding is required prior to the commencement of operations.

It is understood that this designation of operator does not relieve any lessee of responsibility for compliance with the terms of the leases and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the leases.

In case of default on the part of the designated operator, the lessees will make full and prompt compliance with all regulations, lease terms, stipulations, or orders of the Secretary of the Interior or his representative.

Attached is the appropriate documentation relevant to this document.

The designated operator agrees to promptly notify the authorized officer of any change in the operatorship of said Ratherford Unit.

June / 7, 1993

Phillips Petroleum Company

Attorney-in-Fac

Mobil Exploration and Producing North America Inc.

June // , 1993

8v: 15. 41

Attorney-in-Fact B.D. MARTINI

ACTING

AREA DIRECTOR

DATE

APPROVED PURSUANT, TO SECRETARIAL REDELEGATION ORDER 209 DM 8 AND 230 DM 3.

This form does not constitute an information collection as defined by 44 U.S.C. 3502 and therefore does not require OMB approval.

EXHIBIT "A"

ATTACHED TO AND MADE A PART OF DESIGNATION OF SUCCESSOR OPERATOR, RATHERFORD UNIT

EXHIBIT "C"

Revised as of September 29, 1992) SCHEDULE OF TRACT PERCENTAGE PARTICIPATION

Tract Number	Description of Land	Serial Number and Effective Date of Lease	Tract Percentage Participation
1	S/2 Sec. 1, E/2 SE/4 Sec. 2, E/4 Sec. 11, and all of Sec. 12, T-41-5, R-23-E, S.L.H. San Juan County, Utah	14-20-603-246-A Oct. 5, 1953	11.0652565
2	SE/4 and W/2 SW/4 Sec. 5, the irregular SW/4 Sec. 6, and all of Sec. 7 and 8, T-41-S, R-24-E, San Juan County, Utah	14-20-603-368 Oct. 26, 1953	14.4159942
3	SW/4 of Sec. 4, T-41-S, R-24-E, San Juan County, Utah	14-20-603-5446 Sept. 1, 1959	. \$763826
4	SE/4 Sec. 4, and NE/4 Sec. 9, T-41-s, R-24-E, San Juan County, Utah	14-20-603-4035 Harch J, 1958	1.2587779
\$	SW/4 of Sec. 3, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5445 Sept. 3, 1959	. 4667669
6	NW/4 of Sec. 9, T-41-S, R-24-E, S.L.H., San Juan County, Utah	14-20-603-5045 Feb. 4, 1959	1.0187043
7	RW/4, W/2 NE/4, and SW/4 Sec. 10, SE/4 Sec. 9, T-41-5, R-24-E, San Juan County, Utah	14-20-603-4043 Feb. 18, 1958	3.5097575
8,	SW/4 Sec. 9, T-41-S, R-24-E, S.L.H. San Juan County, Utah	14-20-603-5046 Feb. 4, 1959	1.1141679
9	SE/4 Sec. 10 and S/2 SW/4 Sec. 11 T-41-S, R-24-E, San Juan County, Utah	14-20-603-4037 Feb. 14, 1958	2.6186804
10	All of Sec. 13, E/2 Sec. 14, and E/2 SE/4 and N/2 Sec. 24, T-41-S, R-23-E, S.L.M., San Juan County, Utah	14-20-603-247-A Oct. 5, 1953	10.3108861
11	Sections 17, 18, 19 and 20, T-41-S, R-24-E, San Juan County Utah	14-20-603-353 Oct. 27, 1953	27.3389265
12	Sections 15, 16, 21, and NW/4, and W/2 SW/4 Sec. 22, T-41-5, R-24-E, San Juan County, Utah	14-20-603-355 Oct. 27, 1953	14.2819339
13	W/2 Section 14, T-41-S, R-24-E, San Juan County, Utah	14-20-603-370 Oct. 26,1953	1.8500847
14	N/2 and SE/4, and E/2 SW/4 Sec. 29, NE/4 and E/2 SE/4 and E/2 W/2 irregular Sec. 30, and E/2 NE/4 Sec. 32, T-41-S, R-24-E, San Juan County, Utah	14-20-603-407 Dec. 10, 1953	6.9924969
15	NW/4 Sec. 28, T-41-S, R24-E San Juan County, Utah	14-20-603-409 Dec. 10, 1953	.9416393
16	SE/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6504 July 11, 1961	.5750254
17	NE/4 Sec. 3, T-41-5, R-24-E San Juan County, Utah	14-20-0603-6505 July 11, 1961	. 5449292
18	NW/4 Sec. 3, T-41-5, R-24-E San Juan County, Utah	14-20-0603-6506 July 11, 1961	.5482788
19	NE/4 Sec. 4, T-41-S, R24-E San Juan County, Utah	14-20-0603-7171 June 11, 1962	. 4720628
20	E/2 NW/4 Sec. 4, T-41-S, R-24-E San Juan County, Utah	14-20-0603-7172 June 11, 1962	.0992482

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to: [] Well File (Location) SecTwpRng (API No.)	(Return Date) (To - Initials)	XKX Other OPERATOR CHANGE
1. Date of Phone Call:10-6-93	- Time: <u>9</u>	:30
2. DOGM Employee (name) I Talked to: Name GLEN COX of (Company/Organization)	(Initiated Call []) - F	
3. Topic of Conversation: OPERATOR (NEED TO CONFIRM HOW OPERATOR OR MOBIL OIL CORPORATION AS PE	WANTS THE WELLS SET UP -	MEPNA AS PERTBIA APPROVAL
4. Highlights of Conversation: MR. COX CONFIRMED THAT THE WEIT PER BIA APPROVAL, ALSO CONFIRM BE HANDLED OUT OF THEIR CORTEX MEPNA- PO DRAWER G CORTEZ, CO 81321 (303) 565-2212 *ADDRESS CHANGE AFFECTS ALL WITH REPORTED OUT OF DALLAS (MCELMORE)	LLS SHOULD BE SET UNDER A MED THAT PRODUCTION & DIS Z OFFICE RATHER THAN DALL ELLS CURRENTLY OPERATORED	CCOUNT N7370/MEPNA AS POSITION REPORTS WILL NOW AS.
	•	

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET Attach all documentation received by the division regarding this change. Routing: 1_VEC/CH/7-SI 0 2-DT3/58-AIM 3-VIC
Initial each listed item when completed. Write N/A if item is not applicable. 4-RJF 5-IPF 5-IPF 6-RJF 6-RJF 6-RJF
The operator of the well(s) listed below has changed (EFFECTIVE DATE: 7-1-93) FROM (former operator) PHILLIPS PETROLEUM COMPANY
PO DRAWER G CORTEZ, CO 81321 CLEN COX (915)688-2114 phone (303)565-2212 account no. N7370 NR NR NR NR NR NR NR N
<pre>Hell(S) (attach additional page if needed): *RATHERFORD UNIT (NAVAJO)</pre>
Name: **SEE ATTACHED** API:43:037:16:403 Entity: SecTwpRngLease Type:
OPERATOR CHANGE DOCUMENTATION Let 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (Reg. 8-20-93) (6/93 frod. Ref. 8-16-93) Let 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). (Reg. 8-31-93) (Rec. 9-14-93)
3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) If yes show company file number:
Lec 4. (For Indian and Federal Hells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (016 wells 10-6-93) (wiw's 10-26-93)
Jet 6. Cardex file has been updated for each well listed above. (066 wells 10-16-93) (www. 10-26-93)
Let 7. Well file labels have been updated for each well listed above. (066 wells to 10-93) (www. 10-26-9) Let 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memory for distribution to State Lands and the Tax Commission. (10-6-93)
fee 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

PERATOR CHANGE WORKSHEET (CONTINUED) Initral each item when completed. Write N/A ri item is not applicable.
NTITY REVIEH
1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.
OND VERIFICATION (Fee wells only)
$\frac{1}{1}$ (Rule R615–3–1) The new operator of any fee lease well listed above has furnished a proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
LEASE INTEREST OHNER NOTIFICATION RESPONSIBILITY
(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
2. Copies of documents have been sent to State Lands for changes involving State leases.
FILMING
1. All attachments to this form have been microfilmed. Date: 11.17 19.83.
FILING
1. Copies of all attachments to this form have been filed in each well file.
2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMENTS
931006 BIA/Bhn Approved 7-9-93.

E71/34-35

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

BUREAU OF I	LAND MANAGEMENT	5. Lease Designation and Serial No.		
SUNDRY NOTICES AN	D REPORTS ON WELLS	14-20-603-4037		
Do not use this form for proposals to drill	6. If Indian, Allottee or Tribe Name			
Use "APPLICATION FOR	NAVAJO TRIBAL			
SUBMIT	7. If Unit or CA, Agreement Designation RATHERFORD UNIT			
1. Type of Well Oil Gas V INJECTION		<u></u>		
Oil Gas Well X Other INJECTION		8. Well Name and No. RATHERFORD UNIT 10W-43		
2. Name of Operator Mobil Exploration & as Agent for Mobil F	Producing U.S. Inc. Producing TX & NM Inc.	9. API Well No.		
3. Address and Telephone No.		43-037-16403		
P.O. Box 633, Midland, TX 79		10. Field and Pool, or exploratory Area		
4. Location of Well (Footage, Sec., T., R., M., or Survey De	· ·	GREATER ANETH		
1980' FSL, 550' FEL; SEC.10	, 1415, K24E	11. County or Parish, State		
		SAN JUAN UT		
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT,			
TYPE OF SUBMISSION	TYPE OF ACTION			
Notice of Intent				
	Abandonment	Change of Plans New Construction		
X Subsequent Report	Recompletion Plugging Back	Non-Routine Fracturing		
	Casing Repair	Water Shut-Off		
Final Abandonment Notice	Altering Casing	Conversion to Injection		
	Other WORKOVER	Dispose Water		
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)		
 Describe Proposed or Completed Operations (Clearly state al give subsurface locations and measured and true ver 	I pertinent details, and give pertinent dates, including estimated date of startifical depths for all markers and zones pertinent to this work.)*	ng any proposed work. If well is directionally drilled		
RETURNED TO INJECTION.	,			
14. I hereby certify that the foregoing is true and correct	C. T. C. DEC. TECHNICIAN	10/05/04		
Signed O. Jim to Shirley Do	Title ENV. & REG. TECHNICIAN	_{Date} 10/25/94		
(This space for Federal or State office use)				
Approved by	Title	Date		
Constitution of approval, it any.				

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to: [] Well File		(Return Date)	OFER MA CHG VA						
	(Location) SecTwpRng (API No.)								
1.	Date of Phone Call: 8-3-	95 Time:							
2.	DOGM Employee (name)	L. CORDOVA	(Initiated Call [])						
	Name R. J. FIRTH (Initiated Call XX) - Phone No. () of (Company/Organization)								
3.	Topic of Conversation:								
4.		Highlights of Conversation: OPERATOR NAME IS BEING CHANGED FROM M E P N A (MOBIL EXPLORATION AND PRODUCING							
	NORTH AMERICA INC) TO MOBIL EXPLOR & PROD. THE NAME CHANGE IS BEING DONE AT								
	THIS TIME TO ALLEVIATE CONFUSION, BOTH IN HOUSE AND AMONGST THE GENERAL PUBLIC.								
	*SUPERIOR OIL COMPANY MERGED INTO M E P N A 4-24-86 (SEE ATTACHED).								
			-						
	· .	•	·						

	n of Oil, Gas and Mining FOR CHANGE WORKSHEET				Routing
	all documentation received by the division regard each listed item when completed. Write N/A if i				2-LWP 8-SJ 3-DTS 9-FILE 4-VLC
	nge of Operator (well sold) ignation of Operator XXX	Designat <mark>ion</mark> o Operator Name		/	5-RJF 6-LWP
The op	perator of the well(s) listed below has	changed (EFFE	ECTIVE DATE:	8-2-95)
TO (ne	w operator) MOBIL EXPLOR & PROD (address) C/O MOBIL OIL CORP PO DRAWER G CORTEZ CO 81321 phone (303) 564-5212 account no. N7370	FROM (forme	er operator) (address)	M E P N A C/O MOBIL O PO DRAWER O CORTEZ CO phone (303 account no.	81321) 564–5212
Hell(s) (attach additional page if needed):				
Name: Name: Name: Name:	** SEE ATTACHED ** API:	Entity: Entity: Entity: Entity: Entity:	SecTw SecTw SecTw SecTw SecTw	pRng L pRng L pRng L pRng L pRng L	ease Type:ease Type: ease Type: ease Type: ease Type: ease Type: ease Type:
. /	OR CHANGE DOCUMENTATION (Rule R615-8-10) Sundry or other <u>le</u> operator (Attach to this form).			•	
<u>N/H</u> 2.	(Rule R615-8-10) Sundry or other <u>legal</u> (Attach to this form).	<u>documentatio</u>	on has been	received fr	om <u>new</u> operator
٤	The Department of Commerce has been cooperating any wells in Utah. Is compyes, show company file number:	oany register 	ed with the	state? (ye	s/no) 1f
	(For Indian and Federal Hells ONLY) (attach Telephone Documentation Form comments section of this form. Managehanges should take place prior to comments.)	gement review	of Federal	and Indian	well operator
Lec 5.	changes should take place prior to come Changes have been entered in the Oil a listed above. $(8-3-95)$	and Gas Inform	mation Syste	m (Wang/IBM) for each well
LW 6.	Cardex file has been updated for each	well listed a	bove . 8-31. 9	3 ~	
Mg 7.	Well file labels have been updated for	each well li	sted above	9-18-9-	
Lec 8.	Changes have been included on the mon for distribution to State Lands and th	thly "Operato e Tax Commiss	r, Address <u>,</u> ion. <i>(83.95)</i>	and Accoun	t Changes" memo
Luco.	A folder has been set up for the Oper- placed there for reference during rout	ator Change f ing and proce	ile, and a ssing of the	copy of this original d	s page has been ocuments.

OPERATOR CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY REVIEW
1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. We entity changes made? (yes/no) (If entity assignments were changed, attach copies Form 6, Entity Action Form).
2. State Lands and the Tax Commission have been notified through normal procedures entity changes.
BOND VERIFICATION (Fee wells only) & No Fee Leese Wells at this time!
1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by lett dated 19
LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY
1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has be notified by letter dated
2. Copies of documents have been sent to State Lands for changes involving State leases .
FILMING
1. All attachments to this form have been microfilmed. Date: October 4 19 95
FILING
1. <u>Copies</u> of all attachments to this form have been filed in each well file.
2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operat Change file.
COMMENTS
950803 WIC F5/Not necessary!

WE71/34-35

Page No. 3 08/03/95

STATE OF UTAH INVENTORY OF INJECTION WELLS

08/03/	95		INVENTORY	OF IN	OFCII	ON W	ELLO	
OPERATOR		API NO.	WELL	TNS	RGE	SE	WELLTYPE	INDIAN COUNT
*********		AFI NO.	*********	***	***	**	*****	*********
MEPNA		43-037-15506	L-21	41S	25E	18	INJW	Y
MEPNA	(MOBIL	43-037-15300	K-24	41S	25E	18	INJW	Ÿ
MEPNA	(MOBIL	43-037-30400	K-22X	41S	25E	18	INJI	Ÿ
MEPNA	(MOBIL	43-037-15499	J-21	41S	25E	18	INJW	Ÿ
MEPNA	(MOBIL	43-037-15508	L-25	41S	25E	19	INJW	Ÿ
MEPNA	(MOBIL	43-037-15839	1W24	41S	23E	1	INJW	Ÿ
MEPNA	(MOBIL	43-037-15838	1W13	41S	23E	1	INJW	Y
MEPNA	(MOBIL	43-037-16386	2W44	41S	23E	2	INJW	Y
MEPNA	(MOBIL	43-037-15842	11W44	41S	23E	11	INJW	Ÿ
✓ MEPNA	(MOBIL	43-037-15841	11W42	41S	23E	11	INJW	Ÿ
MEPNA	(MOBIL	43-037-15848	12W33	41S	23E	12	INJW	Ÿ
✓MEPNA	(MOBIL	43-037-15850	12W42	41S	23E	12	INJW	Ÿ
MEPNA	(MOBIL	43-037-15847	12W31	41S	23E	12	INJW	Ÿ
MEPNA	(MOBIL	43-037-16404	12W13	41S	23E	12	INJW	Y
MEPNA	(MOBIL	43-037-15845	12W22	415	23E	12	INJW	Y
MEPNA	(MOBIL	43-037-15843	12W11	41S	23E	12	TNTW :	Y
✓ MEPNA	(MOBIL	43-037-31151	12W24	41S	23E	12	INJW	Y
MEPNA	(MOBIL	43-037-31543	RATERFORD 12	41S	23E	12	INJW	Y
MEPNA	(MOBIL	43-037-15854	13W31	41S	23E	13	INJW	Y
MEPNA	(MOBIL	43-037-15851	13W13	41S	23E	13	INJW	Y
MEPNA	(MOBIL	43-037-15857	13W42	41S	23E	13	INJW	Y
MEPNA	(MOBIL	43-037-16407	13W44	41S	23E	13	INJW	Y
MEPNA	(MOBIL	43-037-15855	13W33	41S	23E	13	INJW	Y
✓MEPNA	(MOBIL	43-037-31152	13W11	41S	23E	13	INJW	Y
MEPNA	MOBIL	43-037-15852	13W22	41S	23E	13	INJW	Y
MEPNA	(MOBIL	43-037-15853	13W24	41S	23E	13	INJW	Y
MEPNA	(MOBIL	43-037-16410	14W43	41S	23E	14	INJI	Y
✓MEPNA	MOBIL	43-037-15860	14W43	41S	23E	14	INJW	Y
MEPNA	MOBIL	43-037-15863	24W42	41S	23E	24	INJW	Y
MEPNA	MOBIL	43-037-15862	24W31	41S	23E	24	INJW	Y
MEPNA	MOBIL	43-037-15984	6W14	41S	24E	6	INJW	Y
MEPNA	MOBIL	43-037-15988	7W32	41S	24E	7	INJW	Y
MEPNA	MOBIL	43-037-15990	7W41	41S	24E	7	INJW	Y
MEPNA	(MOBIL	43-037-16394	7W21	41S	24E	7	INJW	Y
MEPNA	(MOBIL	43-037-15985	7W12	41S	24E	7	INJW	Y
✓MEPNA	(MOBIL	43-037-15989	7W34	41S	24E	7	INJW	Y
MEPNA	(MOBIL	43-037-15986	7W14	41S	24E	7	INJW	Y
✓MEPNA	(MOBIL	43-037-15987	7W23	41S	24E	7	INJW	Y
✓MEPNA	(MOBIL	43-037-16395	7W43	41S	24E	7	INJW	Y
MEPNA	(MOBIL	43-037-16396	8W43	41S	24E	8	INJI	Y
✓ MEPNA	(MOBIL	43-037-15992	8W14	41S	24E	8	INJW	Y
MEPNA	(MOBIL	43-037-16398	9W23	41S	24E	9	INJW	Y
MEPNA	(MOBIL	43-037-16400	9W43	41S	24E	9	INJI	Y
MEPNA	(MOBIL	43-037-16397	9W21	41S	24E	9	INJW	Y
MEPNA	(MOBIL	43-037-16402	10W23	41S	24E	10	WLMI	Y
MEPNA	(MOBIL	43-037-16401	10W21	41S	24E	10	INJI	Y
MEPNA	(MOBIL	43-037-16403	10W43	41S	24E	10	INJW	Y
MEPNA	(MOBIL	43-037-16413	15W43	41S	24E	15	INJI	Y
✓MEPNA	(MOBIL	43-037-16411	15W21	41S	24E	15	INJW	Y
✓MEPNA	(MOBIL	43-037-16412	15W23	41S	24E	15	INJI	Y
✓MEPNA	(MOBIL	43-037-16415	16W43	41S	24E	16	INJW	Y
MEPNA	(MOBIL	43-037-15720	16W12	41S	24E	16	INJW	Y
MEPNA	(MOBIL	43-037-15721	16W14	41S	24E	16	INJW	Y

Form 3160-5 (June 1990)

Approved by Conditions of approval, if any:

UNITED STATES

DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS OF WELL GAS & MINING

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

Expires: March 31, 1993

5. Lease Designation and Serial No.

14-20-603-4037

Date

6. If Indian, Allottee or Tribe Name

Use "APPLICATION FOR PERMIT - " for such proposals		NAVAJO TRIBAL
SUBMIT IN TRIPLICATE		7. If Unit or CA, Agreement Designation RATHERFORD UNIT
3. Address and Telephone No.	702 (915) 688-2585	8. Well Name and No. 10 W 43 9. API Well No. 43 - 037 - 16403 10. Field and Pool, or exploratory Area GREATER ANETH 11. County or Parish, State
OUTOU ADDRODDIATE DOVI) TO INDICATE MATURE OF MOTIOE REPORT	SAN JUAN UT
) TO INDICATE NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing X Other SQUEEZE	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well
7-28-95 MIRU POH W/TBG. 7-31-95 SET CIBP @ 5300'. LOAD MIN/HELD. 8-01-95 PERF @ 2900' W/4 SPF (CAL. SQZ PRSS 1300 PSI SX 15.6 PPG CL B CMT. SX 15.6 PPG CL B CMT. 8-03-95 DO CMT F/1677-1723 8-04-95 DO CMT F/1723-1810'. 8-05-95 TAG CMT @ 2702' DO CMT 8-08-95 CIRC. CLEAN SET PKR @ 8-11-95 SPOT BALANCED PLUG F/28-14-95 TAG TOC @2769' CIRC CMD DO & CO TO 5491' PBTD C	O' W/3 SPF (6 HOLES) PUMP 320 SX 13.5 CIRC. TO SURF. CLOSE BRADEN & CMT 2 SPOT BALANCED PLUG F/1846-1550' W/20 F F/2702-2920. CIRC. CLEAN P 2070'. PRESS TEST CSG 1000PSI/30 MIN 2904-2630' W/30 SX OF MICRO MATRIX MT F/2769-2919. PRESS TEST CSG 1000 P	ST CSG TO 1000/30 HALCO LITE CMT. W/2% HALCO LITE TAILED W/100 BBLS BELOW PKR @1550' SX OF MICRO MATRIX /HELD. SI/30 MIN/HELD. DO CIBP
14. I hereby certify that the foregoing is true and correct		
signed Shulay Robertson	Title ENV. & REG. TECHNICIAN	Date 10-20-95
(This space for Federal or State office use)	•	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Title

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Use "APPLICATION FOR PERMIT - " for such proposals

APR 2.2 (38)

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

14-20-603-4037

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to gradiffer entresservior and the second of the se

If Indian, Allottee or Tribe Name
 NAVAJO TRIBAL

SUBMIT	RATHERFORD UNIT			
Type of Well Oil Gas Well INJECTOR Name of Operator Mobil Exploration & Producing U.S. Inc. as Agent for Mobil Producing TX & NM Inc. Address and Telephone No. P.O. Box 633, Midland, TX 79702 (915) 688-2585 Location of Well (Footage, Sec., T., R., M., or Survey Description) SEC. 10, T41S, R24E 1980 FSL; 550 FEL		8. Well Name and No. RATHERFORD 10-43 9. API Well No. 43-037-16403 10. Field and Pool, or exploratory Area GREATER ANTEH 11. County or Parish, State		
) TO INDICATE NATURE OF NOTICE, REPORT			
TYPE OF SUBMISSION X Notice of Intent Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other WORKOVER	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well-Completion or Recompletion Report and Log form.		

SEE ATTACHED PROCEDURE

Accepted by the Utah Division of Oil, Gas and Wining

FOR RECORD ONLY

14. I hereby certify that the foregoing is true and correct Signed	Title ENV. & REG. TECHNICIAN	Date 04-09-96
(This space for Federal or State office use) Approved by Conditions of approval, if any:	Title	Date

Reservoir

RATHERFORD UNIT 10-43

WORKOVER PROGRAM

JUSTIFICATION: The Ratherford Unit 10-43 injection well failed M.I.T. on July 19, 1995 and was shut in. The casing leak was repaired in August, 1995 and the well was left temporarily abandoned with a CIBP set above the perforations. Offset producer 10-44 has lost 66 BOPD since July of 1995 due to lack of injection support. This workover will restore the 66 BOPD at a cost of \$20M or an uplift/\$M equal to 3.3 which is currently the best workover opportunity in the field. Last year's WRC program yielded an average of 0.6 uplift/\$M spent which was a successful program.

PROCEDURE

- 1. MIRU workover rig. NU BOP's. PU junk mill for 5-1/2" 14 lb/ft casing on 2-7/8", 6.5 lb/ft EUE 8rd workstring and drill out CIBP at 5313'. CO to PBTD at 5491'. POH.
- RIH with casing scraper for 5-1/2" 14 lb/ft casing to 5350'. POH 2. laying down workstring.
- PU Guiberson G-6 packer on used 2-7/8", 6.5 lb/ft KCTS fluorolined 3. tubing and RIH to 5300'. NOTE: 1) Bill Allmon to be on location to supervise running of flourolined tubing. 2) Tong Rentals to torque turn tubing.
- Reverse circulate inhibited fresh water containing 1 percent by volume of Tretolite CRW137 corrosion inhibitor. Set packer at 5300'. PT backside to 1000 psi for 30 minutes. Space out for 10,000 lbs of compression at surface. ND BOP's. NU wellhead. RDMD workover rig.
- Perform Mechanical Integrity Test (MIT) for EPA. Contact Melvin Capitan with the Navajo EPA to witness (970/749-2288). After obtaining MIT, put well on injection on maximum rate. Send copy of chart to Shirley Robertson, Midland, Ed Barber, Cortez, Aneth well files, and Cortez well files.

PREPARED BY: Sean S. Murphy


April 12, 1996

RATHERFORD UNIT # 10-43

GREATER ANETH FIELD 1980' FSL & 550' FEL SEC 11-T41S-R23E SAN JUAN COUNTY, UTAH API 43-037-16403 PRISM 0042975

INJECTOR

Capacities:	bbl/ft	gai/ft	cuft/ft
2-7/8" 6.5#	.00579	.2431	.0325
5-1/2" 14#	.0244	1.0249	.1370
5-1 <i>/2</i> " 15.5#	.0238	.9997	.1336
2-7/8x5.5"14#	.0164	.6877	.0919
2-7/8×5.5"15.5#	.0158	.6625	.0886




RATHERFORD UNIT # 10-43

GREATER ANETH FIELD 1980' FSL & 550' FEL SEC 11-T41S-R23E SAN JUAN COUNTY, UTAH API 43-037-16403 PRISM 0042975

INJECTOR

Capacities:	bbl/ft	gal/ft	cuft/ft
2-7/8" 6.5#	.00579	.2431	.0325
5-1 <i>/2</i> " 1 <i>4</i> #	.0244	1.0249	.1370
5-1/2" 15.5#	.0238	.9997	.1336
2-7/8x5.5"14#	.0164	.6877	.0919
2-7/8)-5.5"15.5#	.0158	.6625	.0886

PROPOSED



L. A. TUCKER 4-05-96 R.U. # 10-43

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR RUREAU OF LAND MANAGEMENT

FORM APPROVED					
Budget Bureau No. 1004-0135					
Expires: March 31, 1993					

5. Lease Designation and Serial No.

DOMENTO OF E		14-20-603-4037
	D REPORTS ON WELLS	6. If Indian, Allottee or Tribe Name
	or to deepen or reentry to a different reservoir.	TOTAL
Use "APPLICATION FOR	NAVAJO TRIBAL	
SUBMIT	7. If Unit or CA, Agreement Designation RATHERFORD UNIT	
1. Type of Well Oil Gas Well X Other INJECTOR		8. Well Name and No.
2. Name of Operator Mobil Exploration & as Agent for Mobil F	Producing U.S. Inc. Producing TX & NM Inc.	PATHERFORD 10-43 9. API Well No.
3. Address and Telephone No.		43-037-16403
P.O. Box 633, Midland, TX 79		10. Field and Pool, or exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey De	scription)	GREATER ANTEH
SEC. 10, T41S, R24E		11. County or Parish, State
1980 FSL; 550 FEL		SAN JUAN UT
CUECK APPROPRIATE POY	TO INDICATE MATURE OF MOTIOE REPO	
12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPO	RI, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTI	ON
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
X Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other WORKOVER	Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
 Describe Proposed or Completed Operations (Clearly state a give subsurface locations and measured and true ver 	Il pertinent details, and give pertinent dates, including estimated date of tical depths for all markers and zones pertinent to this work.)*	f starting any proposed work. If well is directionally drille
SEE ATTACHMENT		

14. I hereby certify that the foregoing is true and correct
Signed Shules Roberton Title ENV. & REG. TECHNICIAN

Od-09-96

(This space for Federal or State office use)

Approved by _____ Conditions of approval, if any:

Ratherford 10-43

07-27-95	MIRU NWI
07-28-95	PU, POOH JTS 2 3/8" MARLEX LINED TBG
07-31-95	SET CIBP @ 5300', LOAD CSG W/ FW, HOLE CLEAN. PRESS TEST CSG
	TO 1000 PSI F/30 MIN & HELD
08-01-95	PERF @ 2900' W/4 SPF, 6 SHOTS TOTAL, SET PKR @ 2688', PRESS UP
	CSG TO 1000 PSI, & HELD, MIX 280 SKS 13.5 PPG HALCO LITE CMT
	W/2% CACL & .25# PER SK FLOCELE @ 3 BPM, SQZ PRESS UP TO
	1300 PSI, START DISP, @ 1.5 BBLS DISP, PRESS SQZ TO 1500 PSI
08-02-95	TAG TOC @ 2700', TOC @ 2100', PERF @ 1810' W/3 SPF, 6 SHOTS
	TOTAL, SET PKR @ 1550', MIX & CIRC 320 SKS 13.5 PPG HALCO LITE
	CMT W/2% CACL & .25# PER SK FLOCELE, TAILED W/ 100 SKS 15.6
	PPG CLS B CMT W/ .3% HALAD-344 & 5% CAL SEAL
08-03-95	CSG PRESS 1000 PSI, 0 PSI, TAG TOC @ 1677'
08-04-95	DRILLING OUT CMT F/1723', PRESS TEST CSG TO 1000 PSI, SPOT
	BALANCED PLUG F/1846-1550' W/20 SX OF MICRO MATRIX W/ .3%
	HALAD-344 @ 12 PPG, POOH, PRESS UP ON CSG TO 1450 PSI
08-07-95	TAG TOC @ 1726', CIRC CMT F/1726-1810', PRESS TEST CSG TO 1000
	PSI , TAG MCT @ 2702', PRESS TEST CSG TO 1000 PSI
08-08-95	PRESS TEST CSG TO 1000 PSI F/30 MIN & HELD, SET PKR, PRESS
	TEST CSG TO 1000 PSI F/30 MIN, BLED OFF 200 PSI IN 15 MIN PRESS
	TEST F/ PKR TO CIBP TO 1000 PSI F/30 MIN & HELD. POOH W/PKR
08-11-95	SPOT BALANCED PLUG F/2904-2630' W/30 SX OF MICRO MATRIX
	W/.4% HALAD-344 @ 12.2 PPG. POOH, PRESS UPL ON CSG TO 1500 PSI
08-14-95	SICP 1150 PSI, TAG TOC @ 2769', CIRC OUT SOFT CMT F/2769-2919',
	PRESS TEST CSG TO 1000 PSI F/30 MIN & HELD, TAG CIBP @ 5300',
	DO CIBP, DO & CO TO 5491' PBTD, CIRC CLEAN
08-15-95	ST PKR, RIH W/171 JTS & SET
08-16-95	SET CIBP & 5313', CIRC PKR FLUID, PRESS TEST CIBP TO 1000 PSI
	B/30 MIN & HELD, POOH LAYING DOWN W/ 171 JTS

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.


14-20-603-4037

6. If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. **NAVAJO TRIBAL** Use "APPLICATION FOR PERMIT - " for such proposals 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE RATHERFORD UNIT 1. Type of Well Oil Well 8. Well Name and No. X Other INJECTOR 10-43 RATHERFORD 2. Name of Operator Mobil Exploration & Producing U.S. Inc. 9. API Well No. as Agent for Mobil Producing TX & NM Inc. 43-037-16403 3. Address and Telephone No. 10. Field and Pool, or exploratory Area (915) 688-2585 P.O. Box 633, Midland, TX 79702 **GREATER ANETH** 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 11. County or Parish, State SEC. 10, T41S, R24E 1980 FSL; 550 FEL UT SAN JUAN CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 12. TYPE OF ACTION TYPE OF SUBMISSION Abandonment Change of Plans Notice of Intent **New Construction** Recompletion X Subsequent Report Non-Routine Fracturing Plugging Back Water Shut-Off Casing Repair Conversion to Injection Altering Casing Dispose Water Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

MOBIL REQUEST AN EXTENSION FOR TA'D STATUS. THIS WELL IS BEING EVALUATED FOR HORIZONTAL PROGRAM.



14. I hereby certify that the foregoing is true and correct		07.04.06
Signed Shuley Robertson	Title ENV. & REG. TECHNICIAN	
(This space for Federal or State of tige use) Approved by	Title Hotalburo Engree	
Conditions of approval, if any		

Form 3160-5 (November 1994)

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED				
Budget Bureau No. 1004-0135				
Evoires November	30 2000			


5. Lease Serial No.

14-	20	-603	-4037

SOUDE HOLICES	MIND HELOWIS	JN WELLS		14-70-000-400	<u> </u>
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.				6. If Indian, Allottee or Tribe Name NAVAJO TRIBAL	
SUBMIT IN TRIPLICATE	- Other instructions	on reverse side		7. If Unit or CA/Ag RATHERFORD UN	reement, Name and/or No
. Type of Well Oil Well Well Gas Well Other Name of Operator MOBIL PRODUCING TX &				8. Well Name and N	o. 10-W-43
*MOBIL EXPLORATION &	PRODUCING US IN	r		9. API Well No.	
Address P.O. Box 633, Midland TX 79702		3b. Phone No. (include area	code)	43-037-16403	
Location of Well (Footage, Sec., T., R., M., or Survey Descri SEC. 10, T41S, R24E	iption)	(915) 688-2585		10. Field and Pool, of GREATER ANETH	
1980' FSL & 550' FEL				11. County or Parish	ı, State
12. CHECK APPROPR	IATE BOX(ES) TO I	NDICATE NATURE OF NO	TICE, REPORT	, OR OTHER DATA	
TYPE OF SUBMISSION		TYF	E OF ACTION		
X Notice of Intent	Acidize	Deepen	Production	n (Start/Resume)	Water Shut-Off
Subsequent Report	Alter Casing Casing Repair	Fracture Treat New Construction	Reclamatic		Well Integrity OtherSCHEDULED
Final Abandonment Notice	Change Plans	Plug and Abandon	Temporar	ily Abandon MI7	
	Convert to Inject	ion Plug Back	Water Dis	nossi	

13. Describe Proposed or Coommpleted Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

SCHEDULED MIT & CHART ATTACHED.



4. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Association For	Title SHIRLEY HOUCH	HINS/ENV & REG TECH
	Date 8-25-99	
THIS SPACE FOR F	EDERAL OR STATE OFFICE US	E
Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does no certify that the applicant holds legal or equitable title to those rights in the which would entitle the applicant to conduct operations thereon.	t warrant or Office Subject lease	

ANNULAR PRESSURE TO (Mechanical Integrity Test)

Operator MOBIL E. 4 P., 1.	10,	Date of Test	8-13-9	9		
Well Name RATHERFOLD UNI						
Location Sec. 10, T418, R24E Tribal Lease No. 14206034037						
	State and County SAN JUAN COUNTY, UTAH					
Continuous Recorder? YES N	0 🗆 Pr	essure Gauge? YE	S NO D			
Bradenhead Opened? YES D No	o 🖬 Flu	iid Flow? YES	NO E			
TIME	ANNULUS P	O-1500 ysi RESSURE, psi	TUBING PRESSU	JRE, psi		
	139	girecorder 1162	5	ĵe .		
10:00 Am	1138	1160	5			
10:05 Am	1138	1140	5			
10:10 Am	1130	1160	5			
10:15 Am	1130	1160	5			
10:20 Am	1/30	1160	5	<u>.</u>		
10:25 Am	1130.	1160	5			
MAX. INJECTION PRESSURE: 3000 PSI MAX. ALLOWABLE PRESSURE CHANGE: 54.95 PSI (TEST PRESSURE X 0.05) REMARKS: Passed? Failed? If failed, cease injection until well passes MIT (40CFR§144.21(c)(6)).						
Bradenhead had froz	en valve.					
Injecting-active From trunkline to w	ell, tempora	urily shutin.	The linevis being	ng replaced		
This was the reason for Passed MIT	r iow tubin	ig pressure.				
COMPANY REPRESENTATIVE:	HAR BIT	lign), O	DAT	15.99 TE		
MEUINA K. CLAH TINSPECTOR: (Print and Sign)	Jelna	K. Clah	8-1 DA	3 <u>-99</u> TE		

Form 3160-5 (November 1994)

NITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

SUNDRY NOTICES AND REPORTS ON WELLS

RECEIVED

FORM APPRO	OVED
Budget Bureau No.	1004-0135
Expires Novembe	r 30, 2000

5. Lease Serial No.

	1	4-	20	-6	03	-4037	7
--	---	----	----	----	----	-------	---

6. If Indian, Allottee or Tribe Name

	proposals to drill or to re-enter a n 3160-3 (APD) for such propos		NAVAJO TRI	RAI
SUBMIT IN TRIPLICATE -	Other instructions on reverse s	UĞ 30 PX 1:∫ ide		A/Agreement, Name and/or No
Type of Well Oil Well Well Other		PAGE LETON, N	8. Well Name a	
. Name of Operator MOBIL PRODUCING TX & *MOBIL EXPLORATION &	NM INC.* PRODUCING US INC. AS AGEN	T FOR MPTM	9. API Well No).
a. Address		(include area code)	43-037-164	03
P.O. Box 633, Midland TX 79702 Location of Well (Footage, Sec., T., R., M., or Survey Descrip	(915) 688	2585	10. Field and F	Pool, or Exploratory Area ETH
SEC. 10, T41S, R24E 1980' FSL & 550' FEL			11. County or	Parish, State
12. CHECK APPROPRI	ATE BOX(ES) TO INDICATE NA	TURE OF NOTICE, REF	SAN JUAN ORT, OR OTHER DA	
TYPE OF SUBMISSION		TYPE OF ACT		
Notice of Intent	Acidize Deepe	n Proc	luction (Start/Resume)	Water Shut-Off
Subsequent Report			amation omplete	X Well Integrity X Other SCHEDULE
Final Abandonment Notice	Change Plans Plug		porarily Abandon or Disposal	MIT
SCHEDULED MIT & CHART ATTACHED.	n.)			
SCHEDOLED HIT & CIPAL ATTACHED.				
			OCT 5 1	999
		DIV	OF OIL, GAS	8. MINING
14. I hereby ceptly that the foregoing is true and correct Name (Printed/Typed)	Title	SHIRLEY HOUCH	IINS/ENV & REG	TECH
Ju losery	Date	8-25-99		
THI	S SPACE FOR FEDERAL OR	STATE OFFICE US	E	
Approved by M weeren	Ti	Act. Team	Lead 1	Date 9-16-99
Conditions of approval, if any, are attached. Approval certify that the applicant holds legal or equitable title t		fice		

Form 3160-5 (November 1994)

TED STATES DEPARTMENT OF THE INTERIOR RUREALL OF LAND MANAGEMENT

FORM APPRO	OVED
Budget Bureau No.	1004-0135
Expires November	- 30, 2000

K Lanca Carial Na

WELLS		14-20-603-4037	
		14-20-003-403/	
e-enter an h proposals.		6. If Indian, Allottee or Tribe Nam	ie .
everse side		7. If Unit or CA/Agreement, Nam RATHERFORD UNIT	e and/or N
		8. Well Name and No. RATHERFORD 10)-W-43
AS AGENT FOR MPT	M	9. API Well No.	
•	eode)	43-037-16403	
5) 688-2585	<u> </u>		Агеа
		11. County or Parish, State	
* .		SAN JUAN U	T
ATE NATURE OF NO	TICE, REPORT	, OR OTHER DATA	
TYF	E OF ACTION		
Deepen	Production	n (Start/Resume) Water Shut-	Off
Practure Treat	Reclamati	on Well Integrity	y
	= :		
		· · · · · · · · · · · · · · · · · · ·	
Plug Back	Water Dis	posal	
SON G-6) @ 5305° 7/8" DUO-LINE TB			
19 DOO-FINE IS	G (P		
& CHART ATTACHE			
	D.	CT 5 1939	
	D.	CT 5 1999	
	D.	CT 5 1999	
	D.	CT 5 1999	
& CHART ATTACHE	0	CT 5 1999 M., GAN & MANNY ZENV & REG TECH	
& CHART ATTACHE	Y HOUCHINS	M. GAS & MARKS	
	AS AGENT FOR MPT Phone No. (include area of 1.5) 688-2585 EATE NATURE OF NO TYP Deepen Practure Treat New Construction Plug and Abandon Plug Back including estimated startin face locations and measure. No. on file with BLM/lultiple completion or recorder all requirements, incl. SON G-6) Q 5305'	AS AGENT FOR MPTM Phone No. (include area code) 1.5) 688-2585 EATE NATURE OF NOTICE, REPORT TYPE OF ACTION Deepen Production Fracture Treat Reclamatic New Construction Recomple Plug and Abandon Temporaric Plug Back Water Dis including estimated starting date of any prediction face locations and measured and true vert No. on file with BLM/BIA. Required to sultiple completion or recompletion in a new lear all requirements, including reclamation SON G-6) Q 5305* W/	RATHERFORD UNIT 8. Well Name and No. RATHERFORD 9. API Well No. 43-037-16403 10. Field and Pool, or Exploratory GREATER ANETH 11. County or Parish, State SAN JUAN 11. County or Parish, State SAN JUAN 12. CATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION 13. Practure Treat



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Farmington Field Office 1235 La Plata Highway Farmington, New Mexico 87401

IN REPLY REFER TO:

SEP | 6 | 1999

14-20-603-4037 (WC) 3162.3-2 (7100)

Ms Shirley Houchins Mobil Oil Corp. PO Box 633 Midland, TX 79702

Dear Ms Houchins:

Reference is made to your well No. 10W43 Ratherford Unit located 1980' FSL & 550' FEL sec. 10, T. 41 S., R. 24 E., San Juan County, Utah, Lease 14-20-603-4037. Also referenced is your Sundry Notice approved on April 18, 1996, which proposed to returning the subject well to injection. If the well has been returned to injection, you are required to submit a subsequent report. If the well has not been returned to injection, you are required to complete the work as approved and submit a subsequent report by October 25, 1999.

Failure to comply within the time above may result in an assessment in accordance with 43 CFR 3163.1.

Under provisions of 43 CFR 3165.3, you may request an Administrative Review of the orders described above. Such request, including all supporting documents, must be filed in writing within 20 business days of receipt of this notice and must be filed with the State Director, Bureau of Land Management, P. O. Box 27115, Santa Fe, New Mexico 87502-0115. Such requests shall not result in a suspension of the order(s) unless the reviewing official so determines. Procedures governing appeals from instructions, orders or decisions are contained in 43 CFR 3165.4 and 43 CFR 4.400 et seq.

If you have any questions please contact Stephen Mason with this office at (505) 599-6364.

Sincerely,

Wayne Townsend

Acting Team Leader; Petroleum Management Team

cc:

BIA, Window Rock Navajo Nation Minerals Dept. Form 3160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an

abandoned well. Use Form 3160-3 (APD) for such proposals

FORM APPROVED OMB No. 1004-0135 Expires November 30, 2000

Expires November 30, 2000

5. Lease Serial No.

	_		3-4037			
6.	If	Indian,	Allottee	or	Tribe	Name

Navajo Triba

abanac	oned wen. Ose roini o roo-o (Arb) for such proposus.	
	TRIPLICATE - Other Instructions on reverse side	7. If Unit or CA/Agreement, Name and/or No. Ratherford Unit
1. Type of Well		Ratherford Omt
Oil Gas Well	Other INJECTOR	8. Well Name and No.
2. Name of Operator	TOLLE HAJECTOR	Ratherford Unit 10W43
	Inc	9. API Well No.
Mobil Expl&Prod., NA	The state of the s	
3a. Address P.O. Box 4358	3b. Phone No. (include area code)	43-037-16403
WGR, Rm. 310 Houston	TX 77210-4358 (713) 431-1012	
4. Location of Well (Footage, Sec	c., T., R., M., or Survey Description)	GREATER ANETH
1980' FSL & 550' FEL	. Sec. 10, T41S R24E	11. County or Parish, State
	,	CAN WIANI
		SAN JUAN UT
12. CHECK APP	ROPRIATE BOX(es) TO INDICATE NATURE OF NOT	TICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE	OF ACTION
Notice of Intent	Acidize Deepen Production (Start/Resume) Water Shut-Off
_	Alter Casing Fracture Treat Reclamation	Well Integrity
Subsequent Report	Casing Repair New Construction Recomplete	Other
Final Abandonment Notice	Change Plans Plug and Abandon Temporarily	Abandon —
	Convert to Injection Plug Back Water Dispo	sal
3. Describe Proposed or Complete	ed Operation (clearly state all pertinent details, including estimated starting date of an horizontally, give subsurface locations and measured and true vertical depths of all p	y proposed work and approximate duration thereof. If proposal is to pertinent markers and zones. Attach the Bond under which the work

13. Describe Proposed or Completed Operation (clearly state air pertinent detains, including estimates starting date of any proposed work and approximate databol interest. If proposed work and approximate data and approximate on any proposed work and approximate data and approximate data and approximate data and approximate data approximate data and approximate data approximate data and app

Mobil Exploration & Producing US Inc., as agent for Mobil Texas & New Mexico Inc. and Mobil Exploration & Producing North America Inc.

Request authorication to TA. Procedure is attached.

RECEIVED

MAY 0.3 2001

DIVISION OF DIL GAS AND MINING

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed)	Title	
Alex M. Correa	Sr. Regulatory Specialis	st
Signature SMCarria (4389)	Date 05/02/2001	
THIS SPACE FOR FEDE	RAL OR STATE OFFICE USE	
Approved by	Title	Date
Conditions of approval, if any, are attacheed. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

RU # 10-43

- 1.) MIRU WSU. Bleed well down.
- 2.) ND WH. RU BOP
- 3.) Kill well. POOH w/ inj tbg and pkr.
- 4.) RIH set CIBP @ 5,319'and test
- 5.) PU one jt. change out kill weight fluid to inhibited fresh water
- 6.) Test csg to 1,100#. Monitor
- 7.) POOH w/tbg. SI Well. Perform MIT8.) ND BOP. NU WH. RDMO

Fo. (Au₂

1. Type of Well
Oil
Well

2. Name of Operator

Gas Well

(Instructions on Reverse)

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

Other INJECTOR

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

5. Lease Serial No.

14-20-603-4037

6. If Indian, Allottee or Tribe Name

Navajo	Tribal
--------	--------

Ratherford Unit

8. Well Name and No.

Ratherford Unit

7. If Unit or CA/Agreement	, Name and/or No.
----------------------------	-------------------

10W43

Mobil Expl&Prod., NA Inc					y. API Well No.					
3a. Address P.O. Box 4358	3b. Phone No. (include area code)					43-037-16403				
WGR, Rm. 310 Houston		TX 77210		(713	3) 43	-1012				_
4. Location of Well (Footage, Sec	, T., R., N	M., or Survey Descri	ption)						R ANETH	<u>[</u>
1980' FSL & 550' FEL	Sec. 10	0, T41S R24E					11. Cou	nty or l	Parish, State	
							SAN	JUAI	N	UT
12. CHECK APPI	ROPRIA	TE BOX(es)	то	INDICATE NAT	URE	OF NOTICE, RE	PORT,	OR	OTHER	DATA
TYPE OF SUBMISSION						TYPE OF ACTION	ON			
Notice of Intent	^	cidize		Deepen		Production (Start/Resume	-)		Water Shut-C)ff
_	□ A	Iter Casing		Fracture Treat		Reclamation			Well Integrity	y .
Subsequent Report	ПС	asing Repair	П	New Construction	П	Recomplete			Other	·
Final Abandonment Notice	☐ c	hange Plans	\Box	Plug and Abandon	$\overline{\boxtimes}$	Temporarily Abandon				
	ـــا	onvert to Injection		Plug Back		Water Disposal			-	
Request authorication to Well will be retained for Accepted	potenti	ial future injec						<u></u>		
Utah Div				Federal Approval C	Y This	L				
Oil, Gas ar	nd Min	ning		Action Is Neces						
Date: 7/20/	\sim (ACHOIT IS NECES	sai y	ing i		: 1.	the second of th	
By: Dos	ka	ent 2002		5-30 CH1	501	este este				
4. I hereby certify that the foregoing	g is true ar	nd correct		Title	;					
Name (Printed/Typed) Alex M.	Correa				Sr.	Regulatory Specia	alist			
		rea (4	15.	38) Date		19/2001				
					R S1	ATE OFFICE USE				
Approved by					Tit	le			Date	
Conditions of approval, if any, are certify that the applicant holds legal which would entitle the applicant to	or equitabl	e title to those rights	ce does	not warrant or subject lease	Oi	fice			<u>.</u>	
Fitle 18 U.S.C. Section 1001, mal	es it a cri	me for any person k	cnowin	gly and willfully to mal	ce to a	ny department or agency	of the Ur	ited St	ates any false,	, fictitious or frauduler



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Farmington Field Office 1235 La Plata Highway Farmington, New Mexico 87401

MAY 1 1 2001

IN REPLY REFER TO:

14-20-603-355 et al. (WC) 3162.3-2 (7100)

Mr Alex M. Correa Mobil Oil Corp. %Exxon-Mobil PO Box 4358 Houston, TX 77210-4358

Dear Mr Correa:

Reference is made to the following wells located in the Ratherford Unit, T. 41 S., R. 24 E., San Juan County, Utah:

- 1) No. 15W21, 660' FNL & 1820' FWL sec. 15, Lease 14-20-603-355.
- 2) No. 10W43, 1980' FSL & 550' FEL sec. 10, Lease 14-20-603-4037.
- 3) No. 10W23, 1980' FSL & 1980' FWL sec. 10, Lease 14-20-603-4043.

Also referenced are your Sundry Notices dated May 2, 2001, which requested approval to temporarily abandon the subject wells. You are required to submit your justifications as to why these wells will remain in an inactive status instead of being plugged or returned to injection. You are required to submit these justifications by July 1, 2001.

Failure to comply within the time above may result in an assessment in accordance with 43 CFR 3163.1.

Under provisions of 43 CFR 3165.3, you may request an Administrative Review of the orders described above. Such request, including all supporting documents, must be filed in writing within 20 business days of receipt of this notice and must be filed with the State Director, Bureau of Land Management (NM-93000), P. O. Box 27115, Santa Fe, New Mexico 87502-0115. Such requests shall not result in a suspension of the order(s) unless the reviewing official so determines. Procedures governing appeals from instructions, orders or decisions are contained in 43 CFR 3165.4 and 43 CFR 4.400 et seq.

If you have any questions please contact Stephen Mason with this office at (505) 599-6364.

Sincerely,

Stephen Mason

Petroleum Engineer, Petroleum Management Team

CC:

BIA, Window Rock; Navajo Nation Minerals Dept.; EPA

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

12 v Rat (Loc	Well File Lerford Unt Wells .) SecTwpRng [No.)		
1.	Date of Phone Call:	Time:	
2.	Talked to: Name Steve Mason	(Initiated Call) - Phone I	No. (505) 599-6364
3.	Topic of Conversation: 57 where do the B	I/TA Extension - 19 LM Stand?	s, tjostified
4.	Steve returned call the SI/TA'S. Sa area (ase=23) of over on plugging SI & to put SI'S or	Called Steve 7/19/01 7/20/01@ 10:30. He id it is a small per 300 in ara) They are wells in area. It A Injection waiting a been provided to Bur	centrale of SI's in making progress is taking a while on results etc.

ExxonMobil Production Comp U.S. West P.O. Box 4358 Houston, Texas 77210-4358

June 27, 2001



Mr. Jim Thompson State of Utah, Division of Oil, Gas and Mining 1549 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

> Change of Name – Mobil Oil Corporation to ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Very truly yours, Charlotte J. Warper

Charlotte H. Harper Permitting Supervisor

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

received

21 - 29 200**1**

DILEMON OF OIL, CAS AND MINING

Sec. 2 73 11: 15



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS NAVAJO REGION

P.O. Box 1060 Gallup, New Mexico 87305-1060

AUG 3 0 2001

RRES/543

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor **Exxon Mobil Production Company** U.S. West P. O. Box 4358 Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

CENMI DENETSONE

Regional Realty Officer

BLM, Farmington Field Office w/enclosures > cc; Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

ĺ	MERCRAL RESOURCES
	ADM 1 45/MC
ļ	natvam min čoord
:	SOLID ACM TEAM
•	PERSONNEL TEAM 2
	O&GINJHERT YEAM
	ALL TEAM LEADERS
	LAND RESOURCES
	ENVIRONMENT
	FILES

PS 7/12/200/

On Company

ExxonMobil Production Company U.S. West P.O. Box 4358 Houston, Texas 77210-4358

E∕∕onMobil


Production

7,100

June 27, 2001

Ccrtified Mail
Return Receipt Requested

Ms. Genni Denetsone
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543



Change of Name —
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.

If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours,

Charlotte H. Harper Permitting Supervisor

Attachments

JUL 0 5 2001

NAVAJO REGION OFFICE
BRANCH OF REAL ESTATE SERVICES

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Isasi.

Charlotte U. Harper

Bureau of Indian Affairs Navajo Region Office Attn: RRES - Mineral and Mining Section P.O. Box 1060 Gallup, New Mexico 87305-1060

Gentlemen:

The current list Corporation), o	ting of officers and director of	ExxonMobil 0il Corporation (State) is as follows:	(Name of			
President F.A. Risch Address 5959 Las Colinas Blvd. Irving, TX 75039 Vice President K.T. Koonce Address 800 Bell Street Houston, TX 77002 Secretary F.L. Reid Address 5959 Las Colinas Blvd. Irving, TX 75039 Treasure B.A. Maher Address 5959 Las Colinas Blvd. Irving, TX 75039						
Name D.D. Humphreys Address 5959 Las Colinas Blvd. Irving, TX 75039 Name P.A. Hanson Address 5959 Las Colinas Blvd. Irving, TX 75039 Name T.P. Townsend Address 5959 Las Colinas Blvd. Irving, TX 75039 Name B.A. Maher Address 5959 Las Colinas Blvd. Irving, TX 75039 Name F.A. Risch Address 5959 Las Colinas Blvd. Irving, TX 75039						
Sincerely, Alex Correa This is to certify that the above information pertaining toExxonMobil_Oil_Corporation(Corporation) strust and correct as evidenced by the records and accounts covering business for the State ofUtah and in the custody of _Corporation Service Company(Agent), Phone:1 (800)927-9800, whose business address isOne_Utah_Center, 201_South_Main_Street, Salt_Lake_City, Utah_84111-2218						
CORPORATESEAL) One Utah Center, 201 South Main Street, Salt Lake City, Utah 84111-2218 Signature AGENT AND ATTERNEY IN FACT Title						



I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

CHANGE OF COMPANY NAME

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;

FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.

WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

S. U. Mulluc Assistant Secretary

COUNTY OF DALLAS STATE OF TEXAS UNITED STATES OF AMERICA

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

Notary Public

LISTING OF LEASES OF MOBIL OIL CORPORATION

Lease Number

- 1) 14-20-0603-6504
- 2) 14-20-0603-6505
- 3) 14-20-0603-6506
- 4) 14-20-0603-6508
- 5) 14-20-0603-6509
- 14-20-0603-6510 6)
- 7) 14-20-0603-7171
- 8) 14-20-0603-7172A
- 9) 14-20-600-3530
- 10) 14-20-603-359
- 11) 14-20-603-368
- 12) 14-20-603-370
- 13) 14-20-603-370A
- 14) 14-20-603-372
- 15) 14-20-603-372A
- 16) 14-20-603-4495
- 17) 14-20-603-5447
- 18) 14-20-603-5448
- 19) 14-20-603-5449
- 20)
- 14-20-603-5450
- 21) 14-20-603-5451

CHUBB GROUP OF INSURANCE COMPANIES

in 35 Value in the South, State 1900, Plauston, Texas, 77027-3301 Perman, 1131/237-4600 r Fedsiman (713) 297-4750 NW Bond

FEDERAL INSURANCE COMPANY RIDER to be attached to and form a part of

BOND NO 8027 31 97
wherein
Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is
named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of United States of America, Department of the Interior Bureau of Indian Affairs

in the amount of \$150,000.00 bond date: 11/01/65

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001 the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.

TO : ExxonMobil Oil Corporation

All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

ExxonMobil Oil Corporation

FEDERAL INSURANCE COMPANY

Mary Pierson, Attorney-in-fact





Federal Insurance Company Vigilant Insurance Company Pacific Indemnity Company

Attn.: Surety Department 15 Mountain View Road Warren, NJ 07059

Know All by These Presents, That FEDERAL INSURANCE COMPANY, an Indiana corporation, VIGILANT INSURANCE COMPANY, a New York corporation, and PACIFIC INDEMNITY COMPANY, a Wisconsin corporation, do each hereby constitute and appoint R.F. Bobo,

Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas-

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than bail bonds) given or executed in the course of business, and any instruments amending or attering the same, and consents to the modification or atteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY have each executed and attested these presents and affixed their corporate seals on this $10 \mathrm{th}$ day of May, 2001.

Kenneth C. Wendel. Assistant Secretar

STATE OF NEW JERSEY County of Somerset

On this 10th day of May, 2001 , before me, a Notary Public of New Jersey, personally came Kenneth C. Wendel, to me known to be Assistant Secretary of FEDERAL INSURANCE COMPANY, William Insurance Company, and PACIFIC INDEMNITY COMPANY, the Secretary of FEDERAL INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY, and separate seals thereof, secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY and knows the porporate seals thereof, and the secretary of FEDERAL INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY and knows the porporate seals thereof, and the secretary of the By-Laws of said Companies; and that he Secretary of PEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDENSITY COMPANY and knows the porporate beats unrest, that the seals affixed to the foregoing Power of Attorney are such corporate seals and were thereto affixed by airthority of the By-Laws of said Companies; and that he signed said Power of Attorney as Assistant Secretary of said Companies by like authority; and that he is acquainted with Frank E. Robertson, and knows him to be Robertson and that the signature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, subscribed by authority of said in the signature of Frank E.

Notary Public State of New Jersey

No. 2231647

Commission Expires Oct 20 2004 ON

Extract from the By-Laws of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY (the "Companies") do hereby certify that

(i) the foregoing extract of the By-Laws of the Companies is true and correct,

the Companies are duly icensed and authorized to transact surely business in all 50 of the United States of America and the District of Columbia and are authorized by the U.S. Treasury Department; further, Federal and Vigitant are licensed in Puerlo Rico and the U.S. Virgin Islands, and Federal is licensed in American Samoa, Guarn, and each of the Provinces of Canada except Prince Edward Island; and

(iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seats of said Companies at Warren, NJ this $\underline{}$ 12th

<u>day of June</u>, 2001







IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

CSC

5184334741

06/01 '01 08:46 NO.410 03/05

06/01 '01 09:06 NO.135 02/04

F010601000 187

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION.

Ω̈́F

CSC 45

MOBIL OIL CORPORATION

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Law, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby cartify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the smendments to the Certificate of Incorporation effected.
by this Certificate are as follows:

- (a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:
 - "1st The comporate name of said Company shall be, ExxonMobil Oil Corporation",
- (b) Article 7th of the Cartificate of Incorporation, relating to the office of the corporation is hereby smended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC CSC

5184334741

06/01 '01 08:47 NO.410 04/05

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares entitled to wote on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this <u>22nd</u> Day of May, 2001.

F. A. Risch, President

STATE OF TEXAS (COUNTY OF DALLAS (COUNTY OF DALL


F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.

F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 224 day of May, 2001.

[SEAL]

NOTARY PUBLIC, STATE OF TEXAS



CSC CSC

5184334741

06/01 '01 09:01 NO 411 02/02 **-01**0601000187

CSC 45

CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

100 cc STATE OF NEW YORK DEPARTMENT OF STATE

Filed by: EXXONMOBIL CORPORATION

FILED JUN 0 1 2001

: "

TAX S

5959 Las Colmas Blvd

(Mailing address)

Irving, TX 75039-2298

(City, State and Zip code)

JUL 6 5 2001 1- LESINGE SERVICES

010601000

,TEL=5184334741

06/01'01 08:19

=> CSC

State of New York }
Department of State }
ss:

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on JUN 01 2001



Special Deputy Secretary of State

DOS-1266 (7/00)

Form 3160-5 (August 1999)

URMED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0135 Expires November 30, 2000

6. If Indian, Allottee or Tribe Name

5. Lease Serial No. 14-20-603-4037

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.					Navajo Tribal		
	TRIPLICATE - Other	r Instructions on	reverse side	7. If Unit or C	A/Agreement, Name and/or No.		
1. Type of Well				8. Well Name a			
Well Well Wall 2. Name of Operator	Other INJECTOR	<u>-</u>		Ratherford U			
Exxon Mobil Corporati	ion			9. API Well No			
3a. Address P.O. Box 4358		3b. Phone No. (include area code)	43-037-164	103		
Houston 4. Location of Well (Footage, Sec	TX 77216		(713) 431-1010	GREATE	R ANETH		
1980' FSL 550' FEL				11. County or	Parish, State		
Sec 10 T41S R24	E			SAN JUAI	N UT		
12. CHECK APPI	ROPRIATE BOX(es)	TO INDICATE	NATURE OF NOTICE,	REPORT, OR	OTHER DATA		
TYPE OF SUBMISSION			TYPE OF AC	CTION			
Notice of Intent	Acidize	Deepen	Production (Start/Res	ume)	Water Shut-Off		
Subsequent Report	Alter Casing	Fracture Treat	Reclamation		Well Integrity		
Suosequent Report	Casing Repair	New Construction	n Recomplete	\boxtimes	Other TA Extension		
Final Abandonment Notice	Change Plans	Plug and Abando	n Temporarily Abandon	n	·		
	Convert to Injection	Plug Back	Water Disposal				
•	on initial request da	ted 5/19/01 and a	pproved by Steven Maso		hanged.		
Due to critical work being		_		ble to TA.			
Well will be retained for	future injection.	Acc	epted by the h Division of and Mining	R	ECEIVED		
		Oil, C	th Division of the Bas and Mining		0EC 14 2001		
		FOR	RECORD ONLY	OIL	DIVISION OF GAS AND MINING		
14. I hereby certify that the foregoin Name (Printed/Typed) Joel O. 7			Title Regulatory Special	ist			
Signature	Doulla	(6307)	Date 12/13/2001				
	THIS S	PACE FOR FÉDER	AL OR STATE OFFICE US	SE			
Approved by			Title		Date		
Conditions of approval, if any, are a certify that the applicant holds legal which would entitle the applicant to	or equitable title to those rights		Office				
Title 18 U.S.C. Section 1001, make statements or representations as to a	tes it a crime for any person l ny matter within its jurisdiction.	knowingly and willfully	to make to any department or ager	ncy of the United St	ates any false, fictitious or fraudulen		

Form 3160-5 (August 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB No. 1004-0135

Date

Expires	November	30,	2
I Camial	NI.		

	BUREAU OF LAND) MANAGEME	NI		5. Lease Seri	ial No.	
			_		14-20-603	-4037	
_	SUNDRY NOTICES AND				6. If Indian,	Allottee or Tribe l	Name
	ot use this form for propos oned well. Use Form 3160				Navajo Ti	ribal	
	TO 104 TE 04 4				7. If Unit or	CA/Agreement, N	ame and/or No.
	TRIPLICATE - Other Ins	tructions on rev	erse	siae	Ratherfor	rd Unit	÷
1. Type of Well	•				8. Well Name		,
Well Well W	Other INJECTOR	· · · · · · · · · · · · · · · · · · ·			Ratherford U		10W43
Exxon Mobil Corporati	ion				9. API Well N		10443
3a. Address P.O. Box 4358		3b. Phone No. (include	de area o	code)	43-037-16	403	
Houston	TX 77210-435	/711		l-1010	<u> </u>		
4. Location of Well (Footage, Sec	., T., R., M., or Survey Description)					R ANETH	
1980' FSL 550' FEL					11. County or	Parish, State	
Sec 10 T41S R24	JE				SAN JUA	'N	UT
12. CHECK APPI	ROPRIATE BOX(es) TO	INDICATE NA	TURE	OF NOTICE, RE	PORT, OF	OTHER D	ATA
TYPE OF SUBMISSION			-	TYPE OF ACT	ON		<u> </u>
Notice of Intent	Acidize	Deepen		Production (Start/Resum	e) 🔲	Water Shut-Off	
	Alter Casing	Fracture Treat		Reclamation		Well Integrity	
Subsequent Report	Casing Repair	New Construction		Recomplete	×	Other TA Ex	tension
Final Abandonment Notice	Change Plans	Plug and Abandon	$\overline{\Box}$	Temporarily Abandon	_		
	Convert to Injection	Plug Back	$\overline{\Box}$	Water Disposal			
deepen directionally or recomplete will be performed or provide the Bo operation results in a multiple com after all requirements, including rec Exxon Mobl Oil Corpor TA procedure submitted	d Operation (clearly state all pertinent horizontally, give subsurface location and No. on file with BLM/BIA. Requipletion or recompletion in a new intercalmation, have been completed, and the partial request extension on a complete distribution of the complete distribution of	is and measured and true inited subsequent reports val, a Form 3160-4 shall the operator has determine authorization to 5/19/01 and appr	e vertical shall be in the filed that the that the that the that the that the the that the the the the the the the the the th	depths of all pertinent ma filed within 30 days follow once testing has been con he site is ready for final ir	rkers and zones. ving completion of oppleted. Final Al oppleted. spection.)	Attach the Bond of the involved ope bandonment Notice	under which the work erations. If the
14. I hereby certify that the foregoing	ng is true and correct	Tit	10				
Name (Printed/Typed) Joel O. 7		·		gulatory Specialist	+		
Signature Signature	alayera	6307) Da	ite	gulatory Specialist 13/2001			
	THIS SPAC			ATE OFFICE USE			
	11110 01 70	_ , _ , _ , , , , , , , , , , _ , , , , , _ ,					

Conditions of approval, if any, are attacheed. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Title

Office

Approved by

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH 2. CDW 3. FILE

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change

Merger

The operator of the well(s) listed below has changed,	effective:	06-01-2001				
FROM: (Old Operator):		TO: (New O	perator):			
MOBIL EXPLORATION & PRODUCTION	1	EXXONMOBI	<u> </u>	RPORATIO	N	
Address: P O BOX DRAWER "G"	1	Address: USV				
	1	11441255. 5 5 7	· BOX X O A	3011 1330		
CORTEZ, CO 81321	1	HOUSTON, T	X 77210-43	358		
Phone: 1-(970)-564-5212	1	Phone: 1-(713)				
Account No. N7370 Account No. N1855						
CA No.		Unit:	RATHER	FORD		***
WELL(S)						
	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
RATHERFORD 14-W-42		43-037-15860	1	INDIAN	wi	A
RATHERFORD UNIT 14-31		43-037-31717		INDIAN	WI	A
24-31		43-037-15862		INDIAN	WI	A
24-42			6280	INDIAN	WI	A
6-14			6280	INDIAN	WI	A
7-12		43-037-15985	<u> </u>	INDIAN	WI	A
7-14		43-037-15986		INDIAN	WI	A
7-34			6280	INDIAN	WI	A
NAVAJO B41-7 (RATHERFORD 7-41)			99990	INDIAN	WI	A
8-14		43-037-15992	6280	INDIAN	WI	A
RATHERFORD 8W43		43-037-16396		INDIAN	WI	A
NAVAJO B-5 (RATHERFORD 9-43)	09-41S-24E	43-037-16400	99990	INDIAN	WI	I
NAVAJO B-6 (RATHERFORD 10W21)	10-41S-24E	43-037-16401	99990	INDIAN	WI	I
NAVAJO B-2 (RATHERFORD 10W23)	10-41S-24E	43-037-16402	99990	INDIAN	WI	I
NAVAJO W-2 (RATHERFORD 10W43)	10-41S-24E	43-037-16403	99990	INDIAN	WI	I
NAVAJO A-11 (RATHERFORD 15W21)	15-41S-24E	43-037-16411	99990	INDIAN	WI	I
NAVAJO A-19 (RATHERFORD 15W23)	15-41S-24E	43-037-16412	99990	INDIAN	WI	I
NAVAJO A-24 (RATHERFORD 15W43)	15-41S-24E	43-037-16413	99990	INDIAN	WI	Ι
16-12	16-41S-24E	43-037-15720	6280	INDIAN	WI	A
16-14	16-41S-24E	43-037-15721	6280	INDIAN	WI	A
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 06/29/2001						
2. (R649-8-10) Sundry or legal documentation was received		_	06/29/200	<u> </u>		
3. The new company has been checked through the Departm	ent of Comm			tions Datab	ase on:	04/09/2002
4. Is the new operator registered in the State of Utah:	YES	Business Numb	er:	579865-014	3	
5. If NO , the operator was contacted contacted on:	N/A					

7. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: Observed the BLM or BIA has approved the operator for all wells listed within a CA on: N/A 9. Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Injection the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A NOTE: EPA ISSUES UIC PERMIT DATA ENTRY: 1. Changes entered in the Oil and Gas Database on: Od/10/2002 2. Changes have been entered on the Monthly Operator Change Spread Sheet on: Od/10/2002 3. Bond information entered in RBDMS on: N/A 4. Fee wells attached to bond in RBDMS on: N/A STATE WELL(S) BOND VERIFICATION: 1. State well(s) covered by Bond Number: N/A FEDERAL WELL(S) BOND VERIFICATION: 1. Federal well(s) covered by Bond Number: N/A N/A	
The BLM or BIA has approved the operator for all wells listed within a CA on: N/A 9. Underground Injection Control ("UIC") for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A NOTE: EPA ISSUES UIC PERMIT DATA ENTRY: 1. Changes entered in the Oil and Gas Database on: O4/10/2002 2. Changes have been entered on the Monthly Operator Change Spread Sheet on: O4/10/2002 3. Bond information entered in RBDMS on: N/A 4. Fee wells attached to bond in RBDMS on: N/A STATE WELL(S) BOND VERIFICATION: 1. State well(s) covered by Bond Number: N/A FEDERAL WELL(S) BOND VERIFICATION: 1. Federal well(s) covered by Bond Number: N/A	
for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A NOTE: EPA ISSUES UIC PERMIT	
1. Changes entered in the Oil and Gas Database on: O4/10/2002 2. Changes have been entered on the Monthly Operator Change Spread Sheet on: O4/10/2002 3. Bond information entered in RBDMS on: N/A 4. Fee wells attached to bond in RBDMS on: N/A STATE WELL(S) BOND VERIFICATION: 1. State well(s) covered by Bond Number: N/A FEDERAL WELL(S) BOND VERIFICATION: 1. Federal well(s) covered by Bond Number: N/A	et,
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 3. Bond information entered in RBDMS on: N/A 4. Fee wells attached to bond in RBDMS on: N/A STATE WELL(S) BOND VERIFICATION: 1. State well(s) covered by Bond Number: N/A FEDERAL WELL(S) BOND VERIFICATION: 1. Federal well(s) covered by Bond Number: N/A	
3. Bond information entered in RBDMS on: N/A 4. Fee wells attached to bond in RBDMS on: N/A STATE WELL(S) BOND VERIFICATION: 1. State well(s) covered by Bond Number: N/A FEDERAL WELL(S) BOND VERIFICATION: 1. Federal well(s) covered by Bond Number: N/A	
4. Fee wells attached to bond in RBDMS on: STATE WELL(S) BOND VERIFICATION: 1. State well(s) covered by Bond Number: N/A FEDERAL WELL(S) BOND VERIFICATION: 1. Federal well(s) covered by Bond Number: N/A	
STATE WELL(S) BOND VERIFICATION: 1. State well(s) covered by Bond Number: N/A FEDERAL WELL(S) BOND VERIFICATION: 1. Federal well(s) covered by Bond Number: N/A	
1. State well(s) covered by Bond Number: N/A FEDERAL WELL(S) BOND VERIFICATION: 1. Federal well(s) covered by Bond Number: N/A	
1. Federal well(s) covered by Bond Number: N/A	
INDIANI WELL (C) DOND WEDTERCARRON	
INDIAN WELL(S) BOND VERIFICATION: 1. Indian well(s) covered by Bond Number: 80273197	
FEE WELL(S) BOND VERIFICATION: 1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number N/A	
2. The FORMER operator has requested a release of liability from their bond on: The Division sent response by letter on: N/A N/A	
LEASE INTEREST OWNER NOTIFICATION: 3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A	
COMMENTS:	

. Parmits

6rm 3160-5 August 1999)

UNITED STATES JUN 0 4 2092 PARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

	OMB No. 1004	-013	35
	Expires November	30,	2
_	Lease Serial No.	-	

FORM APPROVED

SUNDRY NOTICES AND REPORTS ON WELLS

14-20-603-4037 6. If Indian, Allottee or Tribe Name

at use this form for proposals to drill or to re-enter an

abandoned well. Use Form 3160-3 (APD) for such proposals.	Navajo Tribal
SUBMIT IN TRIPLICATE - Other Instructions on reverse side	7. If Unit or CA/Agreement, Name and/or No. Ratherford Unit
1. Type of Well	7 Ratherford Clin
Oil Well Well Other INJECTOR	8. Well Name and No.
2. Name of Operator	Ratherford Unit 10W43
Exxon Mobil Corporation	9. API Well No.
3a. Address P.O. Box 4358 3b. Phone No. (include area code)	43-037-16403
Houston TX 77210-4358 (713) 431-1197	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	GREATER ANETH
1980' FSL 550' FEL	11. County or Parish, State
Sec 10 T41S R24E	SAN JUAN UT
CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, RI	EPORT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACT	ION
Notice of Intent Acidize Deepen Production (Start/Resum	ne) Water Shut-Off
Alter Casing Fracture Treat Reclamation	Well Integrity
Subsequent Report Casing Repair New Construction Recomplete	Other TA Complete
Final Abandonment Notice Change Plans Plug and Abandon Temporarily Abandon	
Convert to Injection Plug Back Water Disposal	
ibe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed rectionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent may reformed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days follow peration results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been confirer all requirements, including recalmation, have been completed, and the operator has determined that the site is ready for final interval that the substantial properties of the properties of t	tricers and zones. Attach the Bond under which the work ving completion of the involved operations. If the inpleted. Final Abandonment Notices shall be filed only inspection.)

Kim S. Lynch Sr. Staff Office Assistant **ExxonMobil Production Company** a division of Exxon Mobil Corporation, acting for Mobil Producing Texas & New Mexico, Inc.

Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY

14. I hereby certify that the foregoing is true and correct	Title		DA OF GREAT		
Name (Printed/Typed) Kim Lynch	Sr. Staff Office Assistant				
Signature him Junch	05/13/2002				
THIS SPACE FOR FEDER	AL OR STATE OFFICE	USE			
Approved by	Title	ACCF	-DFOR RECORL		
Cc us of approval, if any, are attacheed. Approval of this notice does not warrant or the applicant holds legal or equitable title to those rights in the subject lease uld entitle the applicant to conduct operations thereon.	Office	Į	TY 30 2302		

Tile 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Ratherford Unit #10W43 San Juan County, Utah 14-20-603-4037

4-10-02

Montezuma Well Service moved equipment to location. \$800.00

4-11-02

Waiting on Anchor Test. Mote scheduled testing until 4-12-02.

4-12-02

Tubing and production casing were 250#, Bleed down to 0# in minutes, pump 25 bbls of 10# brine on back side when on vacuum, tubing pump 5 bbls pressured up but did not flow or kick, let it set for 30 minutes. Nipple down the well head, nipple up BOP, tested good. Released the packer started to lay down 4 jts and shut in. The Rig did not have the tubing touge to continue. Shut in for the weekend.

4-13-02

Weekend

4-14-02

Weekend

4-15-02

Tubing Pressure at 100# and casing at 0#. Bleed down the tubing to 0# in 15 sec. Started laying down dual line tbg on empty Float, Pulled 161 Joints and 5-1/2" Guiberson G-6 Packer. Weatherford Fish and Tool Company- Wire Line Company ran in hole Set the CIBP at 5300 ft. Started Running in with Baler with 1 sack of sand and set on top of CIBP. While they finished pulling out of hole the Cable parted from the Baler, the Baler fall back into the hole. The job was shut-in until tomorrow morning, due to High Wind.

4-16-02

Tbg Pressure 0#, Casing 0#. Wire Line Service Nipple up for retrieve their Baler w/ Fishing tool. Retrieve their Baler and ran back in the hole with cement spot on top of the sand. Rig crew continued ran 58 Joints IPC for kill string and leave it in the hole. Nipple down BOP, put wellhead back together and circulate 50 bbls of Packer Fluid around, circulate out the 10# brine kill fluid out and shut-in well. Waited for MIT test.

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING	
1. DJJ	
2. CDW	

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:	6/1/2006			
FROM: (Old Operator):	TO: (New Operator):			
N1855-ExxonMobil Oil Corporation	N2700-Resolute Natural Resources Company			
PO Box 4358	1675 Broadway, Suite 1950			
Houston, TX 77210-4358	Denver, CO 80202			
Phone: 1 (281) 654-1936	Phone: 1 (303) 534-4600			
CA No.	Unit: RATHERFORD (UIC)			
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received from the 2. (R649-8-10) Sundry or legal documentation was received from the 3. The new company was checked on the Department of Commerce 4. Is the new operator registered in the State of Utah: 5. If NO, the operator was contacted contacted on: 6a. (R649-9-2)Waste Management Plan has been received on: 6b. Inspections of LA PA state/fee well sites complete on: 6c. Reports current for Production/Disposition & Sundries on: 7. Federal and Indian Lease Wells: The BLM and or the or operator change for all wells listed on Federal or Indian leases 8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for the BLM or BIA has approved the operator for all wells listed	e FORMER operator on: 4/21/2006 NEW operator on: 4/24/2006 New operator on: 4/24/2006 New operator on: 6/7/2006 New operator on: 6/7/2006 New operator on: 6/7/2006 New operator on: 6/7/2006 Stable on: 6/7/20			
DATA ENTRY:				
 Changes entered in the Oil and Gas Database on: Changes have been entered on the Monthly Operator Change S Bond information entered in RBDMS on: Fee/State wells attached to bond in RBDMS on: Injection Projects to new operator in RBDMS on: 	n/a n/a 6/22/2006			
6. Receipt of Acceptance of Drilling Procedures for APD/New on:	n/a			
BOND VERIFICATION:				
Federal well(s) covered by Bond Number: Output Description:	n/a PA002769			
2. Indian well(s) covered by Bond Number:				
3. (R649-3-1) The NEW operator of any fee well(s) listed covered by	9 7 - 1185 - 1285 - 1			
a. The FORMER operator has requested a release of liability from the Division sent response by letter on:	heir bond on: <u>n/a</u> n/a			
LEASE INTEREST OWNER NOTIFICATION: 4. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a				
COMMENTS:				

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

TRANSFER OF AUTHORITY TO INJECT								
Well Name and Number See attached list		API Number Attached						
Location of Well Footage: See attached list	County : San Juan	Field or Unit Name Ratherford Unit						
QQ, Section, Township, Range:	State: UTAH	Lease Designation and Number See attached list						

EFFECTIVE DATE OF TRANSFER: 6/1/2006

PERATOR	
Exxon Mobil Oil Corporation	Name:
PO Box 4358	Signature:
city Houston state TX zip 77210-4358	Title:
(281) 654-1936	Date:
Exxon Mobil has submitted a separate, signed copy	
	Exxon Mobil Oil Corporation PO Box 4358 city Houston state TX zip 77210-4358 (281) 654-1936

NEW OPERATOR Resolute Natural Resources Company Company: Name: 1675 Broadway, Suite 1950 Address: Signature: city Denver state CO zip 80202 Regulatory Coordinator Title: (303) 534-4600 4/20/2006 Phone: Date: Comments: A list of affected UIC wells is attached. New bond numbers for these wells are: BIA Bond # PA002769 and US EPA Bond # B001252

(This space for State use only)

Transfer approved by:

Approval Date:

Comments:

RECEIVED APR 2 4 2006

STATE OF UTAH

	DEPARTMENT OF NATURAL RESOU	IRCES	TOKING		
	DIVISION OF OIL, GAS AND MI	INING	5. LEASE DESIGNATION AND SERIAL NUMBER:		
			See attached list		
SUNDR	Y NOTICES AND REPORT	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
De malure de la face face annual de 199			Navajo Tribe 7. UNIT or CA AGREEMENT NAME:		
drill horizontal	new wells, significantly deepen existing wells below cultaterals. Use APPLICATION FOR PERMIT TO DRILL	rrent bottom-hole depth, reenter plugged wells, or to form for such proposals.	Ratherford Unit		
1. TYPE OF WELL OIL WELL		Unit Agreement	8. WELL NAME and NUMBER:		
2. NAME OF OPERATOR:			See attached list		
Resolute Natural Resource	ces Company N2700		9. API NUMBER: Attached		
3. ADDRESS OF OPERATOR:		PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:		
1675 Broadway, Suite 1950 4. LOCATION OF WELL	TY Denver STATE CO ZIE	80202 (303) 534-4600	Greater Aneth		
100,000,000	n. Stering	このでの必要にお得るできません。 (20年)	add hazarkiri Almonto ana aki, sa ta		
FOOTAGES AT SURFACE: See a	uacheo list		COUNTY: San Juan		
QTR/QTR, SECTION, TOWNSHIP, RAI	NGE, MERIDIAN:	10 14 15 TA	STATE:		
	2800 A 2000 M 2022 CO 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		UTAH		
11. CHECK APP	ROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPO	RT. OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION	AT, OR OTHER DATA		
NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION		
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL		
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON		
	CHANGE TO PREVIOUS PLANS	OPERATOR CHANGE	TUBING REPAIR		
•	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE		
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL		
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (START/RESUME)			
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	WATER SHUT-OFF		
==0	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION	OTHER:		
12 DESCRIPE PROPOSED OF O					
	OMPLETED OPERATIONS. Clearly show all p				
Pesclute Natural Pascura	xon Mobil Oil Corporation resigns	as operator of the Ratherford Un	it. Also effective June 1, 2006		
Nesolute Matural Resourc	ces Company is designated as su	ccessor operator of the Ratherford	d Unit.		
A list of affected producing	g and water source wells is attach	ned. A separate of affected injection	on wells is being submitted with		
UIC Form 5, Transfer of A	authority to Inject.	The state of an octor injustice	on wone is being submitted with		
A- 611 CC 11 1 1 1					
As of the effective date, be	ond coverage for the affected wel	lls will transfer to BIA Bond # PA0	02769.		
			45		
			2		
/_					
NAME (PLEASE PRINT) Dwight E N	Mallogo	Paradata - C - #			
NAME (PLEASE PRINT) DWIGHT E	777	TITLE Regulatory Coordi	nator		
SIGNATURE WITE & /					
		DATE 4/20/2006	- Carlot		
This space for State use only			DEOE		
T		1			

APPROVED 6 137 106

Carlene Russell

Division of Oil, Gas and Mining actions on Reverse Side)

England Russell Engineering Tacketolan

RECEIVED APR 2 4 2006

Earlene Russell, Engineering Technician

DIV. OF OIL, GAS & MINING

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON V	VELLS 6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-h drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such p	ole depth, reenter plugged wells, or to proposals. 7. UNIT or CA AGREEMENT NAME: UTU68931A
1. TYPE OF WELL OIL WELL GAS WELL OTHER Injection	8. WELL NAME and NUMBER: Ratherford
2. NAME OF OPERATOR: ExxonMobil Oil Corporation N/855	9. API NUMBER:
3. ADDRESS OF OPERATOR:	PHONE NUMBER: 10. FIELD AND POOL, OR WILDCAT:
P.O. Box 4358 CITY Houston STATE TX ZIP 77210-4	358 (281) 654-1936 Aneth
FOOTAGES AT SURFACE:	county: San Juan
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATU	RE OF NOTICE, REPORT, OR OTHER DATA TYPE OF ACTION
Approximate date work will start: 6/1/2006 CHANGE TO PREVIOUS PLANS CHANGE TUBING CHANGE TUBING PLUG CHANGE WELL NAME CHANGE WELL STATUS PROD COMMINGLE PRODUCING FORMATIONS RECL	SIDETRACK TO REPAIR WELL CONSTRUCTION TEMPORARILY ABANDON TUBING REPAIR TO THERE TO THERE TO THERE TO THERE TUBING THE T
NAME (PLEASE PRINT) Laurie Kilbride	Permitting Supervisor
SIGNATURE / KULDUM	DATE 4/19/2006
This apace for State use only) APPROVED 6 27 06	

(5/2000)

Carleve Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician
(See Instructions on Reverse Side)

RECEIVED APR 2 1 2006

GREATER ANETH FIELD UIC WELL LIST Ratherford lease, San Juan County, Utah

					Surface Location						
Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Qtr 1	Qtr 2	_	_		NS Foot	EW Foot
Ney Lease Ivalle	Well ID	AFTNUIII	Otatus	rteg Lease #	GZLI I	Qu Z	Occ		INIO	140 7 001	L111000
RATHERFORD UNIT	11/1/2/	430371583900S1	Shut-in	14-20-603-246A	NE	SE	1	415	23F	0651FSL	3300FEL
RATHERFORD UNIT		430371638600S1	Active	14-20-603-246A	SE	SE	2	418			0510FEL
RATHERFORD UNIT		430371584100S1	Active	14-20-603-246A	SE	NE	11	418		3290FSL	4617FWL
RATHERFORD UNIT		430371584200S1	Shut-in	14-20-603-246A	SE	SE	11	418	23E	0660FSL	0558FEL
RATHERFORD UNIT		430371584300S1	Active	14-20-603-246A	NW	NW	12		23E	0678FNL	4620FEL
			Active	14-20-603-246A	NW	SW	12	418		1980FSL	4620FEL
RATHERFORD UNIT	12W13 12W22	430371640400S1 430371584501S1	Active	14-20-603-246A	SE	NW	12	415		1920FNL	2080FWL
RATHERFORD UNIT		43037311510181	Active	14-20-603-246A	SE	SW	12	418		0775FSL	1980FWL
RATHERFORD UNIT			Active	14-20-603-246A	NW	NE	12	418		0661FNL	1981FEL
	12W31	430371584700S1 430371584800S1	Active	14-20-603-246A	NW	SE	12		23E	1958FSL	3300FEL
RATHERFORD UNIT					SE	NE	12	418		3275FSL	0662FEL
RATHERFORD UNIT	12W42	430371585000S1	Active	14-20-603-246A 14-20-603-246A	SE	SE	12	415	23E	0772FSL	0807FEL
RATHERFORD UNIT	12W44A	430373154300S1	Shut-in	14-20-003-240A	ISE.	SL.	12	410	232	OTTZI SL	DOOT! LL
DATUEDEODD UNIT	40)4/44	40007044500404	A -40	44.00.000.0474	NISA/	NIVA/	12	440	225	OFOOTNI	0660FWL
RATHERFORD UNIT		430373115201S1	Active	14-20-603-247A	NW	NW	13	415		0500FNL	
RATHERFORD UNIT	13W13	430371585100S1	Active	14-20-603-247A	NW	SW	13	418	23E	1980FSL	4620FEL
RATHERFORD UNIT		430371585200S1	Active	14-20-603-247A	SE	NW	13	418			3300FEL
RATHERFORD UNIT		430371585300S1	Active	14-20-603-247A	SE	SW	13	415	4.00	0660FSL	3300FEL
RATHERFORD UNIT		430371585501S1	Active	14-20-603-247A	NW	SE	13		23E	1970FSL	1979FEL
RATHERFORD UNIT		430371585700S1	Shut-in	14-20-603-247A	SE	NE	13	418		2139FNL	0585FEL
RATHERFORD UNIT	13W44	430371640700S1	Active	14-20-603-247A	SE	SE	13	415	23E	0653FSL	0659FEL
RATHERFORD UNIT	14-31	430373171700S1	Active	14-20-603-247A	NW	NE	14		23E	0754FNL	1604FEL
RATHERFORD UNIT	14W42	430371586001S1	Active	14-20-603-247A	SE	NE	14	41S			653FEL
	24W31	430371586200S1	Shut-in	14-20-603-247A	NW	NE	24		24E	0560FNL	1830FEL
RATHERFORD UNIT	24W42	430371586300S1	Shut-in	14-20-603-247A	SE	NE	24	41S	24E	1980FNL	0660FEL
RATHERFORD UNIT		430371572601S1	Active	14-20-603-353	sw	NW	17	41S		1980FNL	510FWL
RATHERFORD UNIT	17W14	430371572700S1	Active	14-20-603-353	sw	SW	17	41S		0610FSL	0510FWL
RATHERFORD UNIT	17W21	430371641601S1	Active	14-20-603-353	NE	NW	17	418		0510FNL	1830FWL
RATHERFORD UNIT		430371572801S1	Active	14-20-603-353	NE	SW	17	418		1880FSL	1980FWL
RATHERFORD UNIT	17W32	430371572900S1	TA'd	14-20-603-353	SW	NE	17	41S	24E	1830FNL	2030FEL
RATHERFORD UNIT	17W34	430371573000S1	Active	14-20-603-353	SW	SE	17		24E	0560FSL	1880FEL
RATHERFORD UNIT	17W41	430371573100S1	Shut-in	14-20-603-353	NE	NE	17	41S	24E	0610FNL	0510FEL
RATHERFORD UNIT	17W43	430371641701S1	Active	14-20-603-353	NE	SE	17	41S	24E	1980FSL	0660FEL
RATHERFORD UNIT	18-43B	430373171801S1	Active	14-20-603-353	NE	SE	18	41S	24E	2023FSL	0651FEL
RATHERFORD UNIT	18W12	430373115301S1	Active	14-20-603-353	sw	NW	18	41S	24E	1980FNL	560FWL
RATHERFORD UNIT	18W14	430371573501S1	Active	14-20-603-353	SW	SW	18	41S	24E	0810FSL	0600FWL
RATHERFORD UNIT	18W21	430371641801S1	Active	14-20-603-353	NE	NW	18	41S	24E	660FNL	1882FWL
RATHERFORD UNIT	18W23	430373024400S1	Shut-in	14-20-603-353	NE	SW	18	418	24E	2385FSL	2040FWL
RATHERFORD UNIT		430371573601S1	Active	14-20-603-353		NE					1830FEL
RATHERFORD UNIT		430371573701S1	Active	14-20-603-353	sw	SE	18			780FSL	1860FEL
RATHERFORD UNIT		430371573800S1	TA'd	14-20-603-353	NE	NE	18				0660FEL
RATHERFORD UNIT		430371573901S1	Active	14-20-603-353	sw	NW	19				0600FWL
RATHERFORD UNIT		430371574301S1	Active	14-20-603-353	sw	NE	19				2802FEL
RATHERFORD UNIT		430371574401S1	Active	14-20-603-353	SW	SE	19				1980FEL
RATHERFORD UNIT		430371574100S1	Shut-in	14-20-603-353	NE.	NW	19			0660FNL	1860FWL
RATHERFORD UNIT		430371574200S1	Shut-in	14-20-603-353	NE	sw	19			2080FSL	1860FWL
RATHERFORD UNIT		430371642000S1	Shut-in	14-20-603-353	NE	SE	19			1980FSL	0760FEL
RATHERFORD UNIT		430371574601S1	Active	14-20-603-353	sw	NW	20				0748FEL
RATHERFORD UNIT		430371574701S1	Active	14-20-603-353	sw	sw	20			0660FSL	0660FWL
RATHERFORD UNIT		430371574701S1	Active	14-20-603-353	sw	NE	20			0037FNL	0035FWL
RATHERFORD UNIT		430371575001S1	Active	14-20-603-353	sw	SE	20			0774FNL	0617FWL
- I STATE OF THE S		430373159000S1	Active	14-20-603-353	NE	SW	20			2629FSL	1412FWL
RATHERFORD UNIT			-		NE	NW	20			0660FNL	1880FWL
RATHERFORD UNIT		430371642300S1	Active	14-20-603-353	NW	SW	20			2080FSL	2120FWL
RATHERFORD UNIT		430371574800S1	Active	14-20-603-353	_		20				0660FEL
RATHERFORD UNIT		430371575100S1	Active	14-20-603-353	NE	NE				2070FSL	0810FEL
RATHERFORD UNIT	20W43	430371642400S1	TA'd	14-20-603-353	NE	SE	20	1410	Z4C	ZUIUFSL	JOIN EL
10000	100000	100071550550	A -4:	144 00 000 055	CVA/	NDA/	10	140	DAE	1000ENII	0660FWL
RATHERFORD UNIT	[16W12	430371572000S1	Active	14-20-603-355	SW	NW	16	1415	24E	1880FNL	DOOOLAAF

GREATER ANETH FIELD UIC WELL LISTRatherford lease, San Juan County, Utah

				- Iulo	Surface Location						
Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Qtr 1	Qtr 2	Sec	TN	RNG	NS Foot	EW Foot
RATHERFORD UNIT	16W14	430371572100S1	Shut-in	14-20-603-355	sw	sw	16	41S		0660FSL	0660FWL
RATHERFORD UNIT	16W21	430371641400S1	Active	14-20-603-355	NE	NW	16	41S		0660FNL	1880FWL
RATHERFORD UNIT	16W23	430371572201S1	Active	14-20-603-355	NE	SW	16	41S	24E	1980FSL	1980FWL
RATHERFORD UNIT	16W43	430371641501S1	Active	14-20-603-355	NE	SE	16	41S	24E	2140FSL	0820FEL
RATHERFORD UNIT	21-14	430371575301S1	Active	14-20-603-355	sw	SW	21	41S	24E	0660FSL	0460FWL
RATHERFORD UNIT	21-67	430373175301S1	Active	14-20-603-355	NE	sw	21	41S	24E	2560FSL	1325FWL
RATHERFORD UNIT		430371642501S1	Active	14-20-603-355	NE	NW	21	41S	24E	0660FNL	2030FWL
RATHERFORD UNIT	6W14	430371598400S1	Active	14-20-603-368	NE	SE	6	41S	_	0660FSL	0660FWL
RATHERFORD UNIT	7W12	430371598500S1	Active	14-20-603-368	NE	SE	7	41S		2140FNL	0585FWL
RATHERFORD UNIT	7W14	430371598600S1	Active	14-20-603-368	NE	SE	7	41S	24E	1065FSL	0660FWL
RATHERFORD UNIT	7W21	430371639400S1	Active	14-20-603-368	NE	NW	7	418		0710FNL	1820FWL
RATHERFORD UNIT	7W34	430371598900S1	Active	14-20-603-368	SW	SE	7			0710FSL	2003FEL
RATHERFORD UNIT	7W43	430371639500S1	Active	14-20-603-368	NE	SE	7		24E	2110FSL	0660FEL
RATHERFORD UNIT	8W14	430371599200S1	Active	14-20-603-368	SW	NE	8	418	24E	0745FSL	0575FWL
							10	110	0.45	1000501	OCCOCE!
RATHERFORD UNIT	10W43	430371640300S1	TA'd	14-20-603-4037	NE	SE	10	418	24E	1980FSL	0550FEL
DATUEDEODD UNIT	00.40	430371533701S1	Active	14-20-603-407	sw	NW	29	41S	24F	2870FNL	1422FWL
RATHERFORD UNIT		43037153370151	Active	14-20-603-407	sw	NE	29	41S		0694FNL	0685FWL
RATHERFORD UNIT	29-32	43037164320081	Active	14-20-603-407	NE	NW	29	-		0667FNL	2122FWL
RATHERFORD UNIT	29W21	43037164320051	Active	14-20-603-407	NE	NE	29	418		0557FNL	0591FEL
RATHERFORD UNIT		430371643300S1	Shut-in	14-20-603-407	NE	SE	29	418	24E	1980FSL	0660FEL
RATHERFORD UNIT			Shut-in	14-20-603-407	NE	NE	30	418	24E	0660FNL	0660FEL
RATHERFORD UNIT	30W41	430371534300S1	Jonus-III	14-20-003-407	INC	111	30	7.10		55001 IVE	55001 EE
RATHERFORD UNIT	28-12	430371533601S1	Active	14-20-603-409	sw	SE	28	418	24E	2121FNL	0623FWL
RATHERFORD UNIT	28W21	430371643100S1	Shut-in	14-20-603-409	NE	NW	28	41S	24E	0660FNL	2022FWL
TO THE TOTAL ONLY		1	-								
RATHERFORD UNIT	9W23	430371639800S1	Active	14-20-603-5046	NW	SE	9	41S	24E	1980FSL	1980FWL